

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
 Data File : VU032937.D
 Acq On : 21 Jun 2019 12:11
 Operator : JC/SP
 Sample : K3469-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 FB-062019-02

Quant Time: Jun 22 01:21:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 22 00:32:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	186066	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	185151	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	86543	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	49235	38.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.44%
7) Chloroethane-d5	1.68	69	44229	43.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.22%
11) 1,1-Dichloroethene-d2	2.26	63	77946	30.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.86%
21) 2-Butanone-d5	4.17	46	110427	104.34	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.34%
24) Chloroform-d	4.64	84	114218	46.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.40%
26) 1,2-Dichloroethane-d4	5.30	65	80002	48.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.16%
32) Benzene-d6	5.33	84	212089	43.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.88%
36) 1,2-Dichloropropane-d6	6.33	67	71480	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.98%
41) Toluene-d8	7.56	98	186420	41.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.48%
43) trans-1,3-Dichloropropene-	7.84	79	33858	42.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.66%
47) 2-Hexanone-d5	8.31	63	65191	90.80	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.80%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	108768	45.76	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.52%
64) 1,2-Dichlorobenzene-d4	11.86	152	79671	47.57	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.14%


Target Compounds					Ovalue
13) Acetone	2.32	43	7768	5.314 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
Data File : VU032937.D
Acq On : 21 Jun 2019 12:11
Operator : JC/SP
Sample : K3469-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
FB-062019-02

Quant Time: Jun 22 01:21:07 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 22 00:32:21 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.314 ug/L

RT: 2.32 min Scan# 320

Delta R.T. 0.00 min

Lab File: VU032937.D

Acq: 21 Jun 2019 12:11

Instrument :

MSVOA_U

ClientSampleId :

FB-062019-02

Tot Ion: 43 Resp: 7768

Ion Ratio Lower Upper

43 100

58 27.9 0.0 60.6

