

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
 Data File : VU032938.D
 Acq On : 21 Jun 2019 12:34
 Operator : JC/SP
 Sample : K3469-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 TB-062019-01

Quant Time: Jun 22 01:23:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 22 00:32:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	183779	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	178392	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	84710	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	48267	38.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.86%
7) Chloroethane-d5	1.68	69	42781	42.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.42%
11) 1,1-Dichloroethene-d2	2.26	63	76022	30.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.10%
21) 2-Butanone-d5	4.17	46	108947	104.22	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.22%
24) Chloroform-d	4.64	84	111520	45.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.34%
26) 1,2-Dichloroethane-d4	5.30	65	78267	48.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.24%
32) Benzene-d6	5.33	84	206277	44.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.72%
36) 1,2-Dichloropropane-d6	6.33	67	69924	47.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.40%
41) Toluene-d8	7.56	98	179755	41.28	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.56%
43) trans-1,3-Dichloropropene-	7.85	79	33312	43.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.46%
47) 2-Hexanone-d5	8.31	63	65166	94.21	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.21%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	106941	46.70	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	77017	46.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.96%


Target Compounds					Ovalue
13) Acetone	2.32	43	4404	3.050 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
Data File : VU032938.D
Acq On : 21 Jun 2019 12:34
Operator : JC/SP
Sample : K3469-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
TB-062019-01

Quant Time: Jun 22 01:23:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 22 00:32:21 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.050 ug/L
 RT: 2.32 min Scan# 320
 Delta R.T. 0.00 min
 Lab File: VU032938.D
 Acq: 21 Jun 2019 12:34

Instrument :
 MSVOA_U
 ClientSampleId :
 TB-062019-01

Tot Ion: 43 Resp: 4404
 Ion Ratio Lower Upper
 43 100
 58 27.7 0.0 60.6

