

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
 Data File : VU032962.D
 Acq On : 21 Jun 2019 22:09
 Operator : JC/SP
 Sample : K3464-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF33

Quant Time: Jun 22 02:41:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 22 01:56:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	190241	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	187545	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	88500	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	44871	34.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	69.02%
7) Chloroethane-d5	1.68	69	42942	41.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.82%
11) 1,1-Dichloroethene-d2	2.27	63	72944	27.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	55.70%#
21) 2-Butanone-d5	4.17	46	116358	107.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.53%
24) Chloroform-d	4.64	84	114393	45.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.52%
26) 1,2-Dichloroethane-d4	5.30	65	82104	48.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.54%
32) Benzene-d6	5.33	84	208731	42.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.38%
36) 1,2-Dichloropropane-d6	6.32	67	71576	45.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.92%
41) Toluene-d8	7.56	98	184654	40.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.66%
43) trans-1,3-Dichloropropene-	7.85	79	33810	41.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.46%
47) 2-Hexanone-d5	8.31	63	67808	93.24	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.24%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	112692	46.81	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.62%
64) 1,2-Dichlorobenzene-d4	11.85	152	79945	46.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.36%


Target Compounds					Ovalue
13) Acetone	2.31	43	2877	1.925 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062219\
Data File : VU032962.D
Acq On : 21 Jun 2019 22:09
Operator : JC/SP
Sample : K3464-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETF33

Quant Time: Jun 22 02:41:31 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 22 01:56:09 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.925 ug/L
 RT: 2.31 min Scan# 381
 Delta R.T. -0.00 min
 Lab File: VU032962.D
 Acq: 21 Jun 2019 22:09

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF33

Tot Ion: 43 Resp: 2877
 Ion Ratio Lower Upper
 43 100
 58 25.4 0.0 60.6

