

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
 Data File : VU032965.D
 Acq On : 21 Jun 2019 23:18
 Operator : JC/SP
 Sample : K3463-22
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF36

Quant Time: Jun 24 12:10:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 22 01:56:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	190334	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	186958	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	88447	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	44999	34.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	69.18%
7) Chloroethane-d5	1.68	69	41656	40.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	80.30%
11) 1,1-Dichloroethene-d2	2.26	63	73530	28.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	56.12%#
21) 2-Butanone-d5	4.17	46	121406	112.14	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.14%
24) Chloroform-d	4.64	84	113164	44.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.50%
26) 1,2-Dichloroethane-d4	5.30	65	81845	48.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.18%
32) Benzene-d6	5.33	84	208833	42.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.70%
36) 1,2-Dichloropropane-d6	6.32	67	71822	46.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.52%
41) Toluene-d8	7.56	98	184839	40.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.00%
43) trans-1,3-Dichloropropene-	7.85	79	32779	40.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.18%
47) 2-Hexanone-d5	8.31	63	71364	98.44	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.44%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	111263	46.36	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.72%
64) 1,2-Dichlorobenzene-d4	11.85	152	77795	45.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.90%


Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	4.22	96	21656	15.294 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062219\
Data File : VU032965.D
Acq On : 21 Jun 2019 23:18
Operator : JC/SP
Sample : K3463-22
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETF36

Quant Time: Jun 24 12:10:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 22 01:56:09 2019
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 15.294 ug/L
 RT: 4.22 min Scan# 973
 Delta R.T. -0.00 min
 Lab File: VU032965.D
 Acq: 21 Jun 2019 23:18

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF36

Tot Ion: 96 Resp: 21656
 Ion Ratio Lower Upper
 96 100
 61 139.7 92.4 171.6
 68 0.0 0.0 0.0

