

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062219\
 Data File : VU032980.D
 Acq On : 22 Jun 2019 05:49
 Operator : JC/SP
 Sample : K3464-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF56

Quant Time: Jun 24 02:22:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jun 24 02:01:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	194840	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	194720	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	91427	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	49774	37.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.76%
7) Chloroethane-d5	1.68	69	44595	41.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.98%
11) 1,1-Dichloroethene-d2	2.26	63	81594	30.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.84%
21) 2-Butanone-d5	4.17	46	121995	110.07	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.07%
24) Chloroform-d	4.64	84	122081	47.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.32%
26) 1,2-Dichloroethane-d4	5.30	65	87669	50.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.68%
32) Benzene-d6	5.33	84	229270	45.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.34%
36) 1,2-Dichloropropane-d6	6.32	67	77677	48.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.08%
41) Toluene-d8	7.56	98	206555	43.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.90%
43) trans-1,3-Dichloropropene-	7.85	79	35227	41.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.76%
47) 2-Hexanone-d5	8.31	63	73213	96.97	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.97%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	118002	47.21	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.42%
64) 1,2-Dichlorobenzene-d4	11.85	152	83381	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%


Target Compounds					Ovalue
13) Acetone	2.32	43	2563	1.674 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062219\
Data File : VU032980.D
Acq On : 22 Jun 2019 05:49
Operator : JC/SP
Sample : K3464-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 50 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETF56

Quant Time: Jun 24 02:22:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jun 24 02:01:10 2019
Response via : Initial Calibration





#13
Acetone
Concen: 1.674 ug/L
RT: 2.32 min Scan# 382
Delta R.T. 0.00 min
Lab File: VU032980.D
Acq: 22 Jun 2019 05:49

Instrument :
MSVOA_U
ClientSampleId :
ETF56

Tot Ion: 43 Resp: 2563
Ion Ratio Lower Upper
43 100
58 24.1 0.0 60.6

