

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062222\
 Data File : VU049359.D
 Acq On : 22 Jun 2022 18:07
 Operator : SY/MD
 Sample : N3392-14 10X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXEY9

Quant Time: Jun 23 02:08:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 23 02:04:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	234024	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	215719	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	95352	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	46686	32.383	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	64.760%	
7) Chloroethane-d5	1.903	69	41148	38.872	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	77.740%	
11) 1,1-Dichloroethene-d2	2.562	63	67785	24.917	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	49.840%#	
21) 2-Butanone-d5	4.616	46	174793	110.582	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	110.580%	
24) Chloroform-d	5.063	84	127559	41.476	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	82.960%	
26) 1,2-Dichloroethane-d4	5.700	65	85451	42.886	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	85.780%	
32) Benzene-d6	5.726	84	221505	41.410	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	82.820%	
36) 1,2-Dichloropropane-d6	6.690	67	88583	49.261	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	98.520%	
41) Toluene-d8	7.896	98	187981	39.848	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	79.700%#	
43) trans-1,3-Dichloroprop...	8.179	79	35657	42.148	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	84.300%	
47) 2-Hexanone-d5	8.629	63	107389	114.104	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	114.100%	
56) 1,1,2,2-Tetrachloroeth...	10.754	84	144329	48.055	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	96.100%	
66) 1,2-Dichlorobenzene-d4	12.192	152	77059	46.447	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	92.900%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062222\
Data File : VU049359.D
Acq On : 22 Jun 2022 18:07
Operator : SY/MD
Sample : N3392-14 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXEY9

Quant Time: Jun 23 02:08:16 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 23 02:04:00 2022
Response via : Initial Calibration

