

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062318\  
 Data File : VU024858.D  
 Acq On : 23 Jun 2018 01:54  
 Operator : MD/SY  
 Sample : J3662-10  
 Misc : 5.0mL/MSVOA U/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 WP021MW173-180619

Quant Time: Jun 23 04:49:46 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\82U061318W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Jun 13 13:55:26 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 1) Pentafluorobenzene       | 4.99  | 168  | 196437   | 50.00 | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 5.89  | 114  | 298461   | 50.00 | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 9.09  | 117  | 276145   | 50.00 | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 11.49 | 152  | 147238   | 50.00 | ug/l   | 0.00     |
| System Monitoring Compounds |       |      |          |       |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.31  | 65   | 145314   | 45.31 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 90.62% |          |
| 35) Dibromofluoromethane    | 4.89  | 113  | 114178   | 46.10 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 92.20% |          |
| 50) Toluene-d8              | 7.57  | 98   | 432991   | 47.92 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 95.84% |          |
| 62) 4-Bromofluorobenzene    | 10.31 | 95   | 158546   | 44.20 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 88.40% |          |
| Target Compounds            |       |      |          |       |        |          |
| 4) Vinyl Chloride           | 1.40  | 62   | 9395     | 3.63  | ug/l   | 98       |
| 27) cis-1,2-Dichloroethene  | 4.23  | 96   | 29184    | 10.30 | ug/l   | 86       |
| 64) Tetrachloroethene       | 8.24  | 164  | 1682     | 0.64  | ug/l # | 81       |
| 65) Chlorobenzene           | 9.12  | 112  | 2499     | 0.35  | ug/l   | 90       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062318\  
Data File : VU024858.D  
Acq On : 23 Jun 2018 01:54  
Operator : MD/SY  
Sample : J3662-10  
Misc : 5.0mL/MSVOA U/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
WP021MW173-180619

Quant Time: Jun 23 04:49:46 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\82U061318W.M  
Quant Title : SW846 8260  
QLast Update : Wed Jun 13 13:55:26 2018  
Response via : Initial Calibration

