

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062318\
 Data File : VU024863.D
 Acq On : 23 Jun 2018 03:54
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 23 05:00:12 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.626	0.537	14.2	76	0.00
3 P	Chloromethane	0.639	0.520	18.6	76	0.00
4 C	Vinyl Chloride	0.659	0.586	11.1#	79	0.00
5 T	Bromomethane	0.319	0.319	0.0	85	0.00
6 T	Chloroethane	0.431	0.395	8.4	90	0.00
7 T	Trichlorofluoromethane	1.006	0.971	3.5	87	0.00
8 T	Diethyl Ether	0.390	0.363	6.9	86	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.624	0.559	10.4	80	0.00
10 T	Methyl Iodide	0.451	0.437	3.1	73	0.00
11 T	Tert butyl alcohol	0.199	0.160	19.6	74	0.00
12 CM	1,1-Dichloroethene	0.569	0.513	9.8#	78	0.00
13 T	Acrolein	0.104	0.053	49.0#	46#	0.00
14 T	Allyl chloride	1.057	0.989	6.4	85	0.00
15 T	Acrylonitrile	0.386	0.350	9.3	77	0.00
16 T	Acetone	0.439	0.314	28.5#	65	0.00
17 T	Carbon Disulfide	1.823	1.427	21.7#	69	0.00
18 T	Methyl Acetate	0.940	0.948	-0.9	88	0.00
19 T	Methyl tert-butyl Ether	2.140	2.070	3.3	85	0.00
20 T	Methylene Chloride	0.688	0.609	11.5	81	0.00
21 T	trans-1,2-Dichloroethene	0.627	0.560	10.7	79	0.00
22 T	Diisopropyl ether	2.096	1.992	5.0	84	0.00
23 T	Vinyl Acetate	1.877	1.710	8.9	78	0.00
24 P	1,1-Dichloroethane	1.205	1.139	5.5	82	0.00
25 T	2-Butanone	0.589	0.506	14.1	73	0.00
26 T	2,2-Dichloropropane	1.145	0.875	23.6#	68	0.00
27 T	cis-1,2-Dichloroethene	0.721	0.695	3.6	85	0.00
28 T	Bromochloromethane	0.531	0.486	8.5	75	0.00
29 T	Tetrahydrofuran	0.365	0.322	11.8	78	0.00
30 C	Chloroform	1.220	1.212	0.7#	87	0.00
31 T	Cyclohexane	1.323	1.016	23.2#	79	0.00
32 T	1,1,1-Trichloroethane	1.128	1.097	2.7	87	0.00
33 S	1,2-Dichloroethane-d4	0.816	0.710	13.0	74	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	85	0.00
35 S	Dibromofluoromethane	0.415	0.366	11.8	75	0.00
36 T	1,1-Dichloropropene	0.588	0.532	9.5	80	0.00
37 T	Ethyl Acetate	0.640	0.622	2.8	78	0.00
38 T	Carbon Tetrachloride	0.646	0.630	2.5	85	0.00
39 T	Methylcyclohexane	0.733	0.649	11.5	78	0.00
40 TM	Benzene	1.674	1.581	5.6	81	0.00
41 T	Methacrylonitrile	0.345	0.344	0.3	80	0.00
42 TM	1,2-Dichloroethane	0.638	0.652	-2.2	89	0.00
43 T	Isopropyl Acetate	1.107	1.002	9.5	79	0.00
44 TM	Trichloroethene	0.476	0.438	8.0	82	0.00
45 C	1,2-Dichloropropane	0.447	0.427	4.5#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062318\
 Data File : VU024863.D
 Acq On : 23 Jun 2018 03:54
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 23 05:00:12 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.314	0.305	2.9	82	0.00
47 T	Bromodichloromethane	0.625	0.600	4.0	83	0.00
48 T	Methyl methacrylate	0.539	0.502	6.9	80	0.00
49 T	1,4-Dioxane	0.011	0.011	0.0	98	0.00
50 S	Toluene-d8	1.514	1.257	17.0	70	0.00
51 T	4-Methyl-2-Pentanone	0.695	0.646	7.1	80	0.00
52 CM	Toluene	1.077	1.030	4.4#	83	0.00
53 T	t-1,3-Dichloropropene	0.702	0.627	10.7	76	0.00
54 T	cis-1,3-Dichloropropene	0.748	0.667	10.8	77	0.00
55 T	1,1,2-Trichloroethane	0.438	0.424	3.2	87	0.00
56 T	Ethyl methacrylate	0.733	0.689	6.0	82	0.00
57 T	1,3-Dichloropropane	0.739	0.725	1.9	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.281	0.211	24.9#	63	0.00
59 T	2-Hexanone	0.568	0.509	10.4	79	0.00
60 T	Dibromochloromethane	0.546	0.503	7.9	82	0.00
61 T	1,2-Dibromoethane	0.487	0.462	5.1	84	0.00
62 S	4-Bromofluorobenzene	0.601	0.506	15.8	72	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	83	0.00
64 T	Tetrachloroethene	0.475	0.465	2.1	81	0.00
65 PM	Chlorobenzene	1.277	1.266	0.9	84	0.00
66 T	1,1,1,2-Tetrachloroethane	0.485	0.482	0.6	85	0.00
67 C	Ethyl Benzene	2.239	2.194	2.0#	83	0.00
68 T	m/p-Xylenes	0.860	0.852	0.9	84	0.00
69 T	o-Xylene	0.851	0.836	1.8	84	0.00
70 T	Styrene	1.398	1.393	0.4	84	0.00
71 P	Bromoform	0.461	0.431	6.5	81	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
73 T	Isopropylbenzene	3.839	3.738	2.6	86	0.00
74 T	N-amyl acetate	1.826	1.642	10.1	79	0.00
75 P	1,1,2,2-Tetrachloroethane	1.286	1.244	3.3	88	0.00
76 T	1,2,3-Trichloropropane	1.101	1.229	-11.6	98	0.00
77 T	Bromobenzene	0.972	0.957	1.5	87	0.00
78 T	n-propylbenzene	4.522	4.241	6.2	82	0.00
79 T	2-Chlorotoluene	2.667	2.538	4.8	85	0.00
80 T	1,3,5-Trimethylbenzene	3.327	3.226	3.0	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.353	25.8#	66	0.00
82 T	4-Chlorotoluene	3.104	2.967	4.4	84	0.00
83 T	tert-Butylbenzene	3.201	3.194	0.2	89	0.00
84 T	1,2,4-Trimethylbenzene	3.391	3.286	3.1	85	0.00
85 T	sec-Butylbenzene	4.006	3.847	4.0	85	0.00
86 T	p-Isopropyltoluene	3.588	3.404	5.1	84	0.00
87 T	1,3-Dichlorobenzene	1.795	1.763	1.8	87	0.00
88 T	1,4-Dichlorobenzene	1.807	1.751	3.1	86	0.00
89 T	n-Butylbenzene	3.186	2.859	10.3	77	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062318\
Data File : VU024863.D
Acq On : 23 Jun 2018 03:54
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Jun 23 05:00:12 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.700	0.595	15.0	77	0.00
91 T	1,2-Dichlorobenzene	1.798	1.825	-1.5	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.355	0.345	2.8	83	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.237	-11.3	88	0.00
94 T	Hexachlorobutadiene	0.625	0.607	2.9	85	0.00
95 T	Naphthalene	3.293	4.128	-25.4#	95	0.00
96 T	1,2,3-Trichlorobenzene	1.107	1.318	-19.1	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6