

Quantitation Report (Qedit)


Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062320\
 Data File : VU039049.D
 Acq On : 23 Jun 2020 18:53
 Operator : SY/MD
 Sample : L3061-14
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 BFXK1

Manual Integrations
APPROVED

MMDadoda
 6/24/2020 10:53:00 AM

Quant Time: Jun 24 01:16:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jun 24 01:05:38 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.674min (+0.007) 1.23ug/L

response 6152

Ion	Exp%	Act%
43.05	100	100
58.05	32.20	30.69
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062320\
 Data File : VU039049.D
 Acq On : 23 Jun 2020 18:53
 Operator : SY/MD
 Sample : L3061-14
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 BFXK1

Manual Integrations
APPROVED

MMDadoda
 6/24/2020 10:53:00 AM

Quant Time: Jun 24 01:16:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jun 24 01:05:38 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.674min (+0.007) 1.47ug/L m

response 7377

Ion	Exp%	Act%
43.05	100	100
58.05	32.20	25.59
0.00	0.00	0.00
0.00	0.00	0.00

206/24/20 sy

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062320\
 Data File : VU039049.D
 Acq On : 23 Jun 2020 18:53
 Operator : SY/MD
 Sample : L3061-14
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFXK1

Manual Integrations
 APPROVED

MMDadoda
 6/24/2020 10:53:00 AM

Quant Time: Jun 24 03:30:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jun 24 01:05:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	279787	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.43	117	281786	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	118321	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	88917	4.34	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.80%
7) Chloroethane-d5	1.93	69	77729	4.59	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.80%
11) 1,1-Dichloroethene-d2	2.59	63	129830	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.68	46	374318	50.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.24%
24) Chloroform-d	5.10	84	177602	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.20%
26) 1,2-Dichloroethane-d4	5.74	65	113058	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.20%
32) Benzene-d6	5.76	84	347757	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
36) 1,2-Dichloropropane-d6	6.72	67	116994	4.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.00%
41) Toluene-d8	7.92	98	265655	4.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.40%
43) trans-1,3-Dichloropropene-	8.20	79	48720	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.65	63	282810	48.02	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.04%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	108686	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	104996	4.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.20%

Target Compounds

13) Acetone	2.67	43	7377m	1.469	ug/L	Ovalue
-------------	------	----	-------	-------	------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062320\
Data File : VU039049.D
Acq On : 23 Jun 2020 18:53
Operator : SY/MD
Sample : L3061-14
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFXK1

Manual Integrations
APPROVED

MMDadoda
6/24/2020 10:53:00 AM

Quant Time: Jun 24 03:30:08 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jun 24 01:05:38 2020
Response via : Initial Calibration

