

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062320\
 Data File : VU039049.D
 Acq On : 23 Jun 2020 18:53
 Operator : SY/MD
 Sample : L3061-14
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFXK1

Manual Integrations
 APPROVED

MMDadoda

6/24/2020 10:53:00 AM

Quant Time: Jun 24 03:30:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jun 24 01:05:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	279787	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.43	117	281786	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	118321	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	88917	4.34	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.80%
7) Chloroethane-d5	1.93	69	77729	4.59	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.80%
11) 1,1-Dichloroethene-d2	2.59	63	129830	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.68	46	374318	50.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.24%
24) Chloroform-d	5.10	84	177602	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.20%
26) 1,2-Dichloroethane-d4	5.74	65	113058	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.20%
32) Benzene-d6	5.76	84	347757	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
36) 1,2-Dichloropropane-d6	6.72	67	116994	4.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.00%
41) Toluene-d8	7.92	98	265655	4.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.40%
43) trans-1,3-Dichloropropene-	8.20	79	48720	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.65	63	282810	48.02	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.04%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	108686	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	104996	4.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.20%

Target Compounds				Ovalue
13) Acetone	2.67	43	7377m	1.469 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062320\
Data File : VU039049.D
Acq On : 23 Jun 2020 18:53
Operator : SY/MD
Sample : L3061-14
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
BFXK1


Manual Integrations
APPROVED

MMDadoda

6/24/2020 10:53:00 AM

Quant Time: Jun 24 03:30:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jun 24 01:05:38 2020
Response via : Initial Calibration





#13
Acetone
Concen: 1.469 ug/L m
RT: 2.67 min Scan# 415
Delta R.T. 0.01 min
Lab File: VU039049.D
Acq: 23 Jun 2020 18:53

Instrument :
MSVOA_U
ClientSampleId :
BFXK1

Tot Ion: 43 Resp: 7377
Ion Ratio Lower Upper
43 100
58 25.6 0.0 64.4

Manual Integrations
APPROVED

MMDadoda

6/24/2020 10:53:00 AM

