

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062419\
 Data File : VU032997.D
 Acq On : 24 Jun 2019 11:18
 Operator : JC/SP
 Sample : K3478-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF24

Quant Time: Jun 25 06:05:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 25 05:22:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	199151	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	196945	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	92853	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	39438	28.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	57.96%#
7) Chloroethane-d5	1.68	69	39063	35.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	71.98%
11) 1,1-Dichloroethene-d2	2.27	63	68646	25.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	50.08%#
21) 2-Butanone-d5	4.17	46	124271	109.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.70%
24) Chloroform-d	4.64	84	113806	43.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.02%
26) 1,2-Dichloroethane-d4	5.30	65	81038	45.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.96%
32) Benzene-d6	5.33	84	204034	39.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	79.48%
36) 1,2-Dichloropropane-d6	6.32	67	71438	43.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.36%
41) Toluene-d8	7.56	98	184010	38.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	76.54%#
43) trans-1,3-Dichloropropene-	7.85	79	33782	39.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.42%
47) 2-Hexanone-d5	8.31	63	74262	97.25	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.25%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	117390	46.43	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.86%
64) 1,2-Dichlorobenzene-d4	11.86	152	80155	44.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.22%

Target Compounds

					Ovalue
5) Vinyl chloride	1.40	62	10192	5.636 ug/L #	1
20) cis-1,2-Dichloroethene	4.22	96	27217	18.371 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062419\
Data File : VU032997.D
Acq On : 24 Jun 2019 11:18
Operator : JC/SP
Sample : K3478-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETF24

Quant Time: Jun 25 06:05:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 25 05:22:49 2019
Response via : Initial Calibration

