

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062419\
 Data File : VU033005.D
 Acq On : 24 Jun 2019 14:21
 Operator : JC/SP
 Sample : K3478-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF29

Manual Integrations
 APPROVED

MMDadoda
 6/25/2019 9:37:05 AM

Quant Time: Jun 25 06:46:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 25 05:22:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	196912	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	195000	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	92228	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	65872	48.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.90%
7) Chloroethane-d5	1.68	69	56634	52.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.54%
11) 1,1-Dichloroethene-d2	2.27	63	103805	38.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.58%
21) 2-Butanone-d5	4.17	46	120694	107.75	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.75%
24) Chloroform-d	4.64	84	132820	50.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.54%
26) 1,2-Dichloroethane-d4	5.30	65	94481	54.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.44%
32) Benzene-d6	5.33	84	261851	51.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.02%
36) 1,2-Dichloropropane-d6	6.32	67	84332	52.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.16%
41) Toluene-d8	7.56	98	235745	49.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.04%
43) trans-1,3-Dichloropropene-	7.85	79	40081	47.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.16%
47) 2-Hexanone-d5	8.31	63	72678	96.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.12%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	121261	48.44	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.88%
64) 1,2-Dichlorobenzene-d4	11.85	152	92236	51.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.36%

Target Compounds				Ovalue
20) cis-1,2-Dichloroethene	4.22	96	4974m	3.395 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062419\
Data File : VU033005.D
Acq On : 24 Jun 2019 14:21
Operator : JC/SP
Sample : K3478-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
ETF29

Manual Integrations
APPROVED

MMDadoda
6/25/2019 9:37:05 AM

Quant Time: Jun 25 06:46:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 25 05:22:49 2019
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 3.395 ug/L m
 RT: 4.22 min Scan# 975
 Delta R.T. 0.01 min
 Lab File: VU033005.D
 Acq: 24 Jun 2019 14:21

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF29

Tot Ion	Ratio	Lower	Upper
96	100		
61	124.3	92.4	171.6
68	0.0	0.0	0.0

Manual Integrations
 APPROVED

MMDadoda
 6/25/2019 9:37:05 AM

