

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062419\
 Data File : VU033012.D
 Acq On : 24 Jun 2019 17:56
 Operator : JC/SP
 Sample : K3463-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF10

Quant Time: Jun 25 07:13:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 25 06:54:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	193251	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	187240	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	91988	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	63116	47.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.58%
7) Chloroethane-d5	1.68	69	52808	50.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.28%
11) 1,1-Dichloroethene-d2	2.27	63	99612	37.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.88%
21) 2-Butanone-d5	4.17	46	120268	109.41	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.41%
24) Chloroform-d	4.64	84	129730	50.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.06%
26) 1,2-Dichloroethane-d4	5.30	65	91231	53.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.68%
32) Benzene-d6	5.33	84	253421	51.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.84%
36) 1,2-Dichloropropane-d6	6.32	67	81848	52.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.28%
41) Toluene-d8	7.56	98	230146	50.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.70%
43) trans-1,3-Dichloropropene-	7.85	79	40396	49.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.88%
47) 2-Hexanone-d5	8.31	63	73933	101.83	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.83%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	118187	49.17	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.34%
64) 1,2-Dichlorobenzene-d4	11.85	152	91027	51.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.28%


Target Compounds					Ovalue
13) Acetone	2.32	43	4614	3.039 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062419\
Data File : VU033012.D
Acq On : 24 Jun 2019 17:56
Operator : JC/SP
Sample : K3463-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETF10

Quant Time: Jun 25 07:13:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 25 06:54:49 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.039 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU033012.D

Acq: 24 Jun 2019 17:56

Instrument :
MSVOA_U
ClientSampleId :
ETF10

Tot Ion: 43 Resp: 4614

Ion Ratio Lower Upper

43 100

58 30.7 0.0 60.6

