

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062419\
 Data File : VU033013.D
 Acq On : 24 Jun 2019 18:19
 Operator : JC/SP
 Sample : K3463-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETF62

Quant Time: Jun 25 07:15:22 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 25 06:54:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	187922	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	184125	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	87726	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	61778	48.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.20%
7) Chloroethane-d5	1.68	69	52867	51.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.22%
11) 1,1-Dichloroethene-d2	2.27	63	100157	38.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.42%
21) 2-Butanone-d5	4.17	46	121292	113.47	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.47%
24) Chloroform-d	4.64	84	129390	51.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.64%
26) 1,2-Dichloroethane-d4	5.30	65	90976	54.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.40%
32) Benzene-d6	5.33	84	252547	52.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.24%
36) 1,2-Dichloropropane-d6	6.32	67	81377	53.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.44%
41) Toluene-d8	7.56	98	229155	50.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.96%
43) trans-1,3-Dichloropropene-	7.85	79	39721	49.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.88%
47) 2-Hexanone-d5	8.31	63	72449	101.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.48%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	119075	50.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.76%
64) 1,2-Dichlorobenzene-d4	11.86	152	89851	52.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.86%


Target Compounds					Ovalue
13) Acetone	2.32	43	8085	5.476 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062419\
Data File : VU033013.D
Acq On : 24 Jun 2019 18:19
Operator : JC/SP
Sample : K3463-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETF62

Quant Time: Jun 25 07:15:22 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 25 06:54:49 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.476 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU033013.D

Acq: 24 Jun 2019 18:19

Instrument :
MSVOA_U
ClientSampleId :
ETF62

Tot Ion: 43 Resp: 8085

Ion Ratio Lower Upper

43 100

58 31.1 0.0 60.6

