

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062420\
 Data File : VU039079.D
 Acq On : 24 Jun 2020 22:46
 Operator : SY/MD
 Sample : L3109-15
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F59

Quant Time: Jun 25 03:15:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jun 25 02:33:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	264894	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.43	117	266979	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	110962	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	101613	5.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.80%
7) Chloroethane-d5	1.93	69	90510	5.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.00%
11) 1,1-Dichloroethene-d2	2.59	63	149255	4.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.00%
20) 2-Butanone-d5	4.67	46	414495	59.21	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.42%
24) Chloroform-d	5.10	84	208022	5.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.00%
26) 1,2-Dichloroethane-d4	5.74	65	129538	5.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.40%
32) Benzene-d6	5.76	84	404595	5.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.40%
36) 1,2-Dichloropropane-d6	6.72	67	134084	5.39	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.80%
41) Toluene-d8	7.92	98	314037	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
43) trans-1,3-Dichloropropene-	8.20	79	53706	4.97	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.40%
46) 2-Hexanone-d5	8.65	63	326235	58.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	116.92%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	121117	5.24	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.80%
64) 1,2-Dichlorobenzene-d4	12.20	152	123221	5.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.20%


Target Compounds					Ovalue
47) Tetrachloroethene	8.57	164	4431	0.303 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062420\
Data File : VU039079.D
Acq On : 24 Jun 2020 22:46
Operator : SY/MD
Sample : L3109-15
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9F59

Quant Time: Jun 25 03:15:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jun 25 02:33:05 2020
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 0.303 ug/L

RT: 8.57 min Scan# 2249

Delta R.T. -0.00 min

Lab File: VU039079.D

Acq: 24 Jun 2020 22:46

Instrument :

MSVOA_U

ClientSampleId :

F9F59

Tot Ion:164 Resp: 4431


Ion Ratio Lower Upper

164 100

129 106.4 71.3 132.5

131 93.9 68.3 126.8

166 121.2 90.8 168.6



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

