

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062420\
 Data File : VU039099.D
 Acq On : 25 Jun 2020 06:26
 Operator : SY/MD
 Sample : L3110-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F52

Quant Time: Jun 25 07:25:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jun 25 06:40:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	249104	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	249728	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	106365	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	89240	4.89	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.80%
7) Chloroethane-d5	1.93	69	83502	5.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.80%
11) 1,1-Dichloroethene-d2	2.59	63	136542	3.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.00%
20) 2-Butanone-d5	4.67	46	398806	60.58	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	121.16%
24) Chloroform-d	5.10	84	195150	5.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.80%
26) 1,2-Dichloroethane-d4	5.74	65	122240	5.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.80%
32) Benzene-d6	5.76	84	372988	5.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.80%
36) 1,2-Dichloropropane-d6	6.72	67	124918	5.37	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.40%
41) Toluene-d8	7.92	98	291305	5.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.60%
43) trans-1,3-Dichloropropene-	8.20	79	48383	4.78	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.60%
46) 2-Hexanone-d5	8.65	63	310464	59.48	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	118.96%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	114504	5.29	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.80%
64) 1,2-Dichlorobenzene-d4	12.20	152	114299	5.77	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.40%


Target Compounds					Ovalue
38) Bromodichloromethane	7.14	83	4628	0.175 ug/L #	90
47) Tetrachloroethene	8.57	164	16422	1.201 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062420\
Data File : VU039099.D
Acq On : 25 Jun 2020 06:26
Operator : SY/MD
Sample : L3110-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9F52

Quant Time: Jun 25 07:25:13 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jun 25 06:40:48 2020
Response via : Initial Calibration





#38

Bromodichloromethane

Concen: 0.175 ug/L

RT: 7.14 min Scan# 1803

Delta R.T. 0.00 min

Lab File: VU039099.D

Acq: 25 Jun 2020 06:26

Instrument :

MSVOA_U

ClientSampleId :

F9F52


Tot Ion: 83 Resp: 4628

Ion Ratio Lower Upper

83 100

85 55.6 44.9 83.3




127 5.5 6.3 9.5#



Abundance Ion 82.95 (82.65 to 83.65): VU039075.D (-1787) (-)

Ion 85.00 (84.70 to 85.70): VU039075.D (-1787) (-)

Ion 126.90 (126.60 to 127.60): VU039075.D (-1787) (-)



#47

Tetrachloroethene

Concen: 1.201 ug/L

RT: 8.57 min Scan# 2250

Delta R.T. 0.00 min

Lab File: VU039099.D

Acq: 25 Jun 2020 06:26

Tgt Ion: 164 Resp: 16422


Ion Ratio Lower Upper

164 100

129 87.0 71.3 132.5

131 88.8 68.3 126.8

166 126.0 90.8 168.6



Abundance Ion 163.90 (163.60 to 164.60): VU039075.D (-2236) (-)

Ion 128.95 (128.65 to 129.65): VU039075.D (-2236) (-)

Ion 130.95 (130.65 to 131.65): VU039075.D (-2236) (-)

Ion 165.90 (165.60 to 166.60): VU039075.D (-2236) (-)

