

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062422\
 Data File : VU049382.D
 Acq On : 24 Jun 2022 12:35
 Operator : SY/MD
 Sample : N3374-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW4T8

Quant Time: Jun 25 00:15:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jun 25 00:13:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	115908	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	109457	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	54591	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	31484	3.109	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.200%
7) Chloroethane-d5	1.916	69	26562	3.874	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.400%
11) 1,1-Dichloroethene-d2	2.568	65	14110	3.464	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.200%
20) 2-Butanone-d5	4.636	46	93064	34.415	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	68.820%
24) Chloroform-d	5.063	84	73188	4.606	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.200%
26) 1,2-Dichloroethane-d4	5.703	65	42355	4.859	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.200%
32) Benzene-d6	5.729	84	137808	4.179	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.600%
36) 1,2-Dichloropropane-d6	6.690	67	49805	4.450	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.000%
41) Toluene-d8	7.899	98	123403	4.156	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.200%
43) trans-1,3-Dichloroprop...	8.179	79	14487	2.914	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	58.200%
46) 2-Hexanone-d5	8.636	63	93277	46.507	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.020%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	44013	4.912	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.200%
66) 1,2-Dichlorobenzene-d4	12.195	152	48932	4.671	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.400%
Target Compounds						Qvalue
17) Methyl tert-butyl Ether	3.366	73	11518	0.584	ug/L	# 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062422\
Data File : VU049382.D
Acq On : 24 Jun 2022 12:35
Operator : SY/MD
Sample : N3374-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW4T8

Quant Time: Jun 25 00:15:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jun 25 00:13:49 2022
Response via : Initial Calibration

