

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062518\
 Data File : VU024865.D
 Acq On : 25 Jun 2018 11:03
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 05:23:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	0.626	0.525	16.1	81	0.00
3 P	Chloromethane	0.639	0.520	18.6	83	0.00
4 C	Vinyl Chloride	0.659	0.560	15.0#	82	0.00
5 T	Bromomethane	0.319	0.326	-2.2	95	0.00
6 T	Chloroethane	0.431	0.372	13.7	92	0.00
7 T	Trichlorofluoromethane	1.006	0.955	5.1	93	0.00
8 T	Diethyl Ether	0.390	0.361	7.4	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.624	0.570	8.7	89	0.00
10 T	Methyl Iodide	0.451	0.490	-8.6	89	0.00
11 T	Tert butyl alcohol	0.199	0.153	23.1#	77	0.00
12 CM	1,1-Dichloroethene	0.569	0.503	11.6#	83	0.00
13 T	Acrolein	0.104	0.055	47.1#	52	0.00
14 T	Allyl chloride	1.057	0.995	5.9	93	0.00
15 T	Acrylonitrile	0.386	0.340	11.9	81	0.00
16 T	Acetone	0.439	0.455	-3.6	103	0.00
17 T	Carbon Disulfide	1.823	1.408	22.8#	74	0.00
18 T	Methyl Acetate	0.940	0.935	0.5	95	0.00
19 T	Methyl tert-butyl Ether	2.140	2.111	1.4	94	0.00
20 T	Methylene Chloride	0.688	0.610	11.3	89	0.00
21 T	trans-1,2-Dichloroethene	0.627	0.563	10.2	87	0.00
22 T	Diisopropyl ether	2.096	2.016	3.8	92	0.00
23 T	Vinyl Acetate	1.877	1.759	6.3	88	0.00
24 P	1,1-Dichloroethane	1.205	1.126	6.6	88	0.00
25 T	2-Butanone	0.589	0.555	5.8	87	0.00
26 T	2,2-Dichloropropane	1.145	1.062	7.2	90	0.00
27 T	cis-1,2-Dichloroethene	0.721	0.683	5.3	91	0.00
28 T	Bromochloromethane	0.531	0.520	2.1	87	0.00
29 T	Tetrahydrofuran	0.365	0.312	14.5	82	0.00
30 C	Chloroform	1.220	1.188	2.6#	93	0.00
31 T	Cyclohexane	1.323	0.990	25.2#	84	0.00
32 T	1,1,1-Trichloroethane	1.128	1.062	5.9	92	0.00
33 S	1,2-Dichloroethane-d4	0.816	0.768	5.9	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.415	0.419	-1.0	89	0.00
36 T	1,1-Dichloropropene	0.588	0.555	5.6	87	0.00
37 T	Ethyl Acetate	0.640	0.633	1.1	83	0.00
38 T	Carbon Tetrachloride	0.646	0.647	-0.2	90	0.00
39 T	Methylcyclohexane	0.733	0.691	5.7	87	0.00
40 TM	Benzene	1.674	1.628	2.7	87	0.00
41 T	Methacrylonitrile	0.345	0.353	-2.3	85	0.00
42 TM	1,2-Dichloroethane	0.638	0.673	-5.5	95	0.00
43 T	Isopropyl Acetate	1.107	1.029	7.0	85	0.00
44 TM	Trichloroethene	0.476	0.460	3.4	89	0.00
45 C	1,2-Dichloropropane	0.447	0.451	-0.9#	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062518\
 Data File : VU024865.D
 Acq On : 25 Jun 2018 11:03
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 05:23:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.314	0.327	-4.1	92	0.00
47 T	Bromodichloromethane	0.625	0.642	-2.7	93	0.00
48 T	Methyl methacrylate	0.539	0.519	3.7	86	0.00
49 T	1,4-Dioxane	0.011	0.011	0.0	104	0.01
50 S	Toluene-d8	1.514	1.403	7.3	81	0.00
51 T	4-Methyl-2-Pentanone	0.695	0.651	6.3	84	0.00
52 CM	Toluene	1.077	1.065	1.1#	90	0.00
53 T	t-1,3-Dichloropropene	0.702	0.708	-0.9	89	0.00
54 T	cis-1,3-Dichloropropene	0.748	0.735	1.7	88	0.00
55 T	1,1,2-Trichloroethane	0.438	0.453	-3.4	97	0.00
56 T	Ethyl methacrylate	0.733	0.731	0.3	91	0.00
57 T	1,3-Dichloropropane	0.739	0.759	-2.7	93	0.00
58 T	2-Chloroethyl Vinyl ether	0.281	0.165	41.3#	51	0.00
59 T	2-Hexanone	0.568	0.537	5.5	86	0.00
60 T	Dibromochloromethane	0.546	0.539	1.3	91	0.00
61 T	1,2-Dibromoethane	0.487	0.490	-0.6	92	0.00
62 S	4-Bromofluorobenzene	0.601	0.567	5.7	84	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
64 T	Tetrachloroethene	0.475	0.429	9.7	81	0.00
65 PM	Chlorobenzene	1.277	1.278	-0.1	91	0.00
66 T	1,1,1,2-Tetrachloroethane	0.485	0.496	-2.3	94	0.00
67 C	Ethyl Benzene	2.239	2.195	2.0#	89	0.00
68 T	m/p-Xylenes	0.860	0.861	-0.1	91	0.00
69 T	o-Xylene	0.851	0.846	0.6	92	0.00
70 T	Styrene	1.398	1.392	0.4	90	0.00
71 P	Bromoform	0.461	0.459	0.4	92	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.839	3.781	1.5	92	0.00
74 T	N-amyl acetate	1.826	1.660	9.1	85	0.00
75 P	1,1,2,2-Tetrachloroethane	1.286	1.272	1.1	96	0.00
76 T	1,2,3-Trichloropropane	1.101	1.203	-9.3	102	0.00
77 T	Bromobenzene	0.972	0.967	0.5	93	0.00
78 T	n-propylbenzene	4.522	4.347	3.9	90	0.00
79 T	2-Chlorotoluene	2.667	2.582	3.2	92	0.00
80 T	1,3,5-Trimethylbenzene	3.327	3.255	2.2	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.429	9.9	85	0.00
82 T	4-Chlorotoluene	3.104	3.019	2.7	91	0.00
83 T	tert-Butylbenzene	3.201	3.271	-2.2	97	0.00
84 T	1,2,4-Trimethylbenzene	3.391	3.342	1.4	92	0.00
85 T	sec-Butylbenzene	4.006	3.932	1.8	92	0.00
86 T	p-Isopropyltoluene	3.588	3.530	1.6	93	0.00
87 T	1,3-Dichlorobenzene	1.795	1.796	-0.1	94	0.00
88 T	1,4-Dichlorobenzene	1.807	1.809	-0.1	94	0.00
89 T	n-Butylbenzene	3.186	3.011	5.5	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062518\
Data File : VU024865.D
Acq On : 25 Jun 2018 11:03
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Jun 26 05:23:19 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.700	0.640	8.6	88	0.00
91 T	1,2-Dichlorobenzene	1.798	1.850	-2.9	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.355	0.324	8.7	83	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.284	-15.6	97	0.00
94 T	Hexachlorobutadiene	0.625	0.650	-4.0	96	0.00
95 T	Naphthalene	3.293	4.083	-24.0#	99	0.00
96 T	1,2,3-Trichlorobenzene	1.107	1.335	-20.6#	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6