

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062518\
 Data File : VU024868.D
 Acq On : 25 Jun 2018 12:29
 Operator : MD/SY
 Sample : VU0625WBS01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Manual Integrations
 APPROVED

apatel
 6/27/2018 11:18:55 AM

Quant Time: Jun 26 05:33:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	180196	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	271767	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	251038	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.49	152	146246	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	5.31	65	139385	47.38	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.76%	
35) Dibromofluoromethane	4.89	113	112408	49.84	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.68%	
50) Toluene-d8	7.57	98	389112	47.30	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.60%	
62) 4-Bromofluorobenzene	10.31	95	153036	46.85	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.70%	

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.20	85	39492	17.51	ug/l	99
3) Chloromethane	1.33	50	39266	17.04	ug/l	97
4) Vinyl Chloride	1.40	62	42777	18.00	ug/l	98
5) Bromomethane	1.62	94	27762	24.17	ug/l	95
6) Chloroethane	1.70	64	29150	21.35	ug/l	100
7) Trichlorofluoromethane	1.89	101	72102	19.88	ug/l	97
8) Diethyl Ether	2.10	74	26640	20.47	ug/l	87
9) 1,1,2-Trichlorotrifluoroet	2.29	101	42001	18.67	ug/l	98
10) Methyl Iodide	2.41	142	30720	19.72	ug/l	99
11) Tert butyl alcohol	2.82	59	62823	87.81	ug/l	100
12) 1,1-Dichloroethene	2.28	96	38023	18.53	ug/l	93
13) Acrolein	2.19	56	29057	77.34	ug/l	96
14) Allyl chloride	2.60	41	65477	17.19	ug/l	97
15) Acrylonitrile	2.93	53	130403	93.68	ug/l	99
16) Acetone	2.32	43	148336	93.85	ug/l	99
17) Carbon Disulfide	2.48	76	103771	15.79	ug/l	99
18) Methyl Acetate	2.62	43	70889	20.92	ug/l	98
19) Methyl tert-butyl Ether	3.00	73	150205	19.48	ug/l	97
20) Methylene Chloride	2.70	84	46313	18.67	ug/l	95
21) trans-1,2-Dichloroethene	2.99	96	41075	18.18	ug/l	97
22) Diisopropyl ether	3.57	45	146161	19.35	ug/l	92
23) Vinyl Acetate	3.53	43	637684	94.26	ug/l	98
24) 1,1-Dichloroethane	3.45	63	82355	18.96	ug/l	98
25) 2-Butanone	4.26	43	202088	95.19	ug/l	98
26) 2,2-Dichloropropane	4.23	77	80583	19.53	ug/l	98
27) cis-1,2-Dichloroethene	4.23	96	50576	19.47	ug/l	100
28) Bromochloromethane	4.55	49	35744	18.68	ug/l	87
29) Tetrahydrofuran	4.64	42	120733	91.83	ug/l	97
30) Chloroform	4.68	83	86371	19.64	ug/l	99
31) Cyclohexane	5.00	56	75796	18.40	ug/l	92
32) 1,1,1-Trichloroethane	4.92	97	78896	19.40	ug/l	96
36) 1,1-Dichloropropene	5.14	75	60596	18.97	ug/l	98
37) Ethyl Acetate	4.38	43	71517	20.55	ug/l	97
38) Carbon Tetrachloride	5.14	117	69175	19.70	ug/l	97

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062518\
 Data File : VU024868.D
 Acq On : 25 Jun 2018 12:29
 Operator : MD/SY
 Sample : VU0625WBS01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Manual Integrations
 APPROVED

apatel
 6/27/2018 11:18:55 AM

Quant Time: Jun 26 05:33:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
39) Methylcyclohexane	6.42	83	76964	19.31	ug/l	94
40) Benzene	5.39	78	180663	19.85	ug/l	99
41) Methacrylonitrile	4.54	41	38911	20.73	ug/l	96
42) 1,2-Dichloroethane	5.41	62	71012	20.49	ug/l	99
43) Isopropyl Acetate	5.55	43	116706	19.40	ug/l	99
44) Trichloroethene	6.19	130	49865	19.25	ug/l	94
45) 1,2-Dichloropropane	6.44	63	49458	20.37	ug/l	99
46) Dibromomethane	6.56	93	35245	20.67	ug/l	97
47) Bromodichloromethane	6.76	83	67842	19.98	ug/l	98
48) Methyl methacrylate	6.63	41	58706	20.04	ug/l	96
49) 1,4-Dioxane	6.62	88	27435	478.85	ug/l	96
51) 4-Methyl-2-Pentanone	7.46	43	379271	100.34	ug/l	99
52) Toluene	7.64	92	116478	19.90	ug/l	99
53) t-1,3-Dichloropropene	7.88	75	74463	19.52	ug/l	99
54) cis-1,3-Dichloropropene	7.27	75	76470	18.82	ug/l	96
55) 1,1,2-Trichloroethane	8.07	97	48503	20.38	ug/l	96
56) Ethyl methacrylate	8.02	69	78953	19.82	ug/l	97
57) 1,3-Dichloropropane	8.25	76	82315	20.50	ug/l	98
58) 2-Chloroethyl Vinyl ether	7.13	63	90941	59.60	ug/l	95
59) 2-Hexanone	8.36	43	305044	98.85	ug/l	100
60) Dibromochloromethane	8.48	129	56040	18.88	ug/l	99
61) 1,2-Dibromoethane	8.59	107	51963	19.62	ug/l	98
64) Tetrachloroethene	8.23	164	44720	18.74	ug/l	98
65) Chlorobenzene	9.12	112	129938	20.26	ug/l	99
66) 1,1,1,2-Tetrachloroethane	9.21	131	51103	20.97	ug/l	99
67) Ethyl Benzene	9.25	91	227321	20.22	ug/l	99
68) m/p-Xylenes	9.38	106	174373	40.39	ug/l	98
69) o-Xylene	9.78	106	87727	20.53	ug/l	96
70) Styrene	9.80	104	140083	19.95	ug/l	98
71) Bromoform	9.96	173	43545	18.80	ug/l #	100
73) Isopropylbenzene	10.17	105	235769	21.00	ug/l	99
74) N-amyl acetate	10.01	43	103923	19.46	ug/l	98
75) 1,1,2,2-Tetrachloroethane	10.46	83	81641	21.70	ug/l	99
76) 1,2,3-Trichloropropane	10.50	75	76282m	23.69	ug/l	
77) Bromobenzene	10.45	156	59945	21.09	ug/l	95
78) n-propylbenzene	10.59	91	264047	19.96	ug/l	97
79) 2-Chlorotoluene	10.66	91	162001	20.77	ug/l	98
80) 1,3,5-Trimethylbenzene	10.78	105	201372	20.69	ug/l	100
81) trans-1,4-Dichloro-2-buten	10.51	75	24738m	17.78	ug/l	
82) 4-Chlorotoluene	10.78	91	185617	20.45	ug/l	98
83) tert-Butylbenzene	11.10	119	204147	21.81	ug/l	100
84) 1,2,4-Trimethylbenzene	11.15	105	205072	20.68	ug/l	99
85) sec-Butylbenzene	11.33	105	239912	20.47	ug/l	98
86) p-Isopropyltoluene	11.48	119	213496	20.34	ug/l	98
87) 1,3-Dichlorobenzene	11.42	146	108764	20.71	ug/l	99
88) 1,4-Dichlorobenzene	11.51	146	107196	20.28	ug/l	99
89) n-Butylbenzene	11.89	91	172422	18.51	ug/l	98
90) Hexachloroethane	12.15	117	39808	19.44	ug/l	99
91) 1,2-Dichlorobenzene	11.88	146	113228	21.53	ug/l	99
92) 1,2-Dibromo-3-Chloropropan	12.66	75	20348	19.60	ug/l	92

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062518\
Data File : VU024868.D
Acq On : 25 Jun 2018 12:29
Operator : MD/SY
Sample : VU0625WBS01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01


Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM

Quant Time: Jun 26 05:33:57 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
93) 1,2,4-Trichlorobenzene	13.51	180	70536	21.71	ug/l	99
94) Hexachlorobutadiene	13.70	225	38395	21.00	ug/l	98
95) Naphthalene	13.74	128	232471	22.00	ug/l	99
96) 1,2,3-Trichlorobenzene	13.99	180	75411	23.30	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 4.99 min Scan# 1368

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion:168 Resp: 180196

Ion Ratio Lower Upper

168 100


99 52.4 43.2 64.8

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



Abundance Ion 167.90 (167.60 to 168.60): VU024502.D (-1351) (-)

Ion 98.90 (98.60 to 99.60): VU024502.D (-1351) (-)

80000

60000



40000

20000

0

4.90 4.99 5.10

Time-->



#2

Dichlorodifluoromethane

Concen: 17.51 ug/l

RT: 1.20 min Scan# 191

Delta R.T. -0.00 min

Lab File: VU024868.D


Acq: 25 Jun 2018 12:29

Tgt Ion: 85 Resp: 39492

Ion Ratio Lower Upper

85 100

87 32.6 16.1 48.2



Abundance Ion 84.90 (84.60 to 85.60): VU024502.D (-178) (-)

Ion 86.90 (86.60 to 87.60): VU024502.D (-178) (-)

40000

30000


20000


10000

0

1.15 1.20 1.25

Time-->





#3

Chloromethane

Concen: 17.04 ug/l

RT: 1.33 min Scan# 229

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 50 Resp: 39266

Ion Ratio Lower Upper

50 100





52 34.6 26.4 39.6

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#4

Vinyl Chloride

Concen: 18.00 ug/l

RT: 1.40 min Scan# 253

Delta R.T. -0.00 min

Lab File: VU024868.D




Acq: 25 Jun 2018 12:29


Tgt Ion: 62 Resp: 42777

Ion Ratio Lower Upper

62 100

64 32.2 24.8 37.2





#5

Bromomethane

Concen: 24.17 ug/l

RT: 1.62 min Scan# 321

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 94 Resp: 27762

Ion Ratio Lower Upper

94 100





96 97.8 74.5 111.7

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#6

Chloroethane

Concen: 21.35 ug/l

RT: 1.70 min Scan# 344

Delta R.T. 0.00 min

Lab File: VU024868.D




Acq: 25 Jun 2018 12:29


Tgt Ion: 64 Resp: 29150

Ion Ratio Lower Upper

64 100

66 31.8 25.5 38.3





#7





Trichlorofluoromethane
 Concen: 19.88 ug/l
 RT: 1.89 min Scan# 403
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion	Ratio	Lower	Upper
101	100		
103	63.3	52.3	78.5

Manual Integrations
 APPROVED




apatel
 6/27/2018 11:18:55 AM




#8

Diethyl Ether
 Concen: 20.47 ug/l
 RT: 2.10 min Scan# 471
 Delta R.T. 0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
74	100		
45	96.7	55.0	165.0





#9

1,1,2-Trichlorotrifluoroethane

Concen: 18.67 ug/l

RT: 2.29 min Scan# 529

Delta R.T. 0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	101	Resp:	42001
Ion Ratio	Lower	Upper	
101	100		
85	43.8	36.0	54.0
151	79.6	62.3	93.5

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#10

Methyl Iodide

Concen: 19.72 ug/l




RT: 2.41 min Scan# 567


Delta R.T. 0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	142	Resp:	30720
Ion Ratio	Lower	Upper	
142	100		
127	44.6	35.6	53.4
141	13.9	11.7	17.5





#11





Tert butyl alcohol
Concen: 87.81 ug/l
RT: 2.82 min Scan# 694
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
59	100		
57	10.5	8.5	12.7

Manual Integrations
APPROVED




apatel
6/27/2018 11:18:55 AM




#12

1,1-Dichloroethene
Concen: 18.53 ug/l
RT: 2.28 min Scan# 527
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
96	100		
61	163.7	141.7	212.5
98	63.1	51.6	77.4





#13

Acrolein

Concen: 77.34 ug/l

RT: 2.19 min Scan# 499

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 56 Resp: 29057

Ion Ratio Lower Upper

56 100





55 76.6 58.4 87.6

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#14

Allyl chloride

Concen: 17.19 ug/l

RT: 2.60 min Scan# 624

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29




Tgt Ion: 41 Resp: 65477


Ion Ratio Lower Upper

41 100

39 79.5 61.6 92.4

76 39.0 29.7 44.5





#15

Acrylonitrile

Concen: 93.68 ug/l

RT: 2.93 min Scan# 729

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	53	Resp:	130403
Ion	Ratio	Lower	Upper
53	100		
52	85.2	67.1	100.7
51	36.0	28.4	42.6

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#16

Acetone

Concen: 93.85 ug/l




RT: 2.32 min Scan# 538


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	43	Resp:	148336
Ion	Ratio	Lower	Upper
43	100		
58	30.2	24.4	36.6





#17

Carbon Disulfide

Concen: 15.79 ug/l

RT: 2.48 min Scan# 588

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 76 Resp: 103771

Ion Ratio Lower Upper

76 100


78 9.2 7.1 10.7

Manual Integrations

APPROVED




apatel

6/27/2018 11:18:55 AM



Abundance Ion 75.90 (75.60 to 76.60): VU0

Ion 77.90 (77.60 to 78.60): VU0



#18

Methyl Acetate

Concen: 20.92 ug/l

RT: 2.62 min Scan# 630

Delta R.T. -0.00 min

Lab File: VU024868.D


Acq: 25 Jun 2018 12:29

Tgt Ion: 43 Resp: 70889

Ion Ratio Lower Upper



43 100


74 23.4 18.0 27.0



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 74.00 (73.70 to 74.70): VU0





#19





Methyl tert-butyl Ether
 Concen: 19.48 ug/l
 RT: 3.00 min Scan# 749
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion	Ratio	Lower	Upper
73	100		
57	21.9	18.8	28.2

Manual Integrations
 APPROVED




apatel
 6/27/2018 11:18:55 AM




#20

Methylene Chloride
 Concen: 18.67 ug/l
 RT: 2.70 min Scan# 657
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
84	100		
49	122.7	103.8	155.8
51	39.2	32.0	48.0
86	61.1	51.6	77.4





#21

trans-1,2-Dichloroethene

Concen: 18.18 ug/l

RT: 2.99 min Scan# 745

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	96	Resp:	41075
Ion	Ratio	Lower	Upper
96	100		
61	144.0	119.4	179.0
98	62.6	51.1	76.7

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#22

Diisopropyl ether

Concen: 19.35 ug/l




RT: 3.57 min Scan# 927


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	45	Resp:	146161
Ion	Ratio	Lower	Upper
45	100		
43	65.0	45.8	68.6
87	28.6	20.6	31.0
59	12.0	9.4	14.0





#23

Vinyl Acetate

Concen: 94.26 ug/l

RT: 3.53 min Scan# 913

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 43 Resp: 637684

Ion Ratio Lower Upper

43 100


86 10.4 7.8 11.8

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 86.00 (85.70 to 86.70): VU0

3.53

250000

200000



150000

100000

50000

0

Time-->



#24

1,1-Dichloroethane

Concen: 18.96 ug/l

RT: 3.45 min Scan# 889

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29


Tgt Ion: 63 Resp: 82355

Ion Ratio Lower Upper

63 100

98 6.0 3.5 10.4

100 3.9 1.8 5.5



Abundance Ion 62.90 (62.60 to 63.60): VU0

Ion 97.90 (97.60 to 98.60): VU0

Ion 99.90 (99.60 to 100.60): VU0

3.45

40000


30000


20000

10000

0

Time-->









#25
2-Butanone
Concen: 95.19 ug/l
RT: 4.26 min Scan# 1142
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
43	100		
72	25.6	19.6	29.4




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#26
2,2-Dichloropropane
Concen: 19.53 ug/l
RT: 4.23 min Scan# 1133
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
77	100		
97	21.5	11.3	33.8





#27

cis-1,2-Dichloroethene

Concen: 19.47 ug/l

RT: 4.23 min Scan# 1132

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	96	Resp:	50576
Ion	Ratio	Lower	Upper
96	100		
61	153.2	0.0	306.6
98	64.2	0.0	128.8

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#28

Bromochloromethane

Concen: 18.68 ug/l




RT: 4.55 min Scan# 1232


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	49	Resp:	35744
Ion	Ratio	Lower	Upper
49	100		
129	0.9	0.0	3.8
130	83.0	57.8	86.6









#29
Tetrahydrofuran
Concen: 91.83 ug/l
RT: 4.64 min Scan# 1259
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
42	100		
72	45.3	34.5	51.7
71	41.7	32.2	48.4




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#30
Chloroform
Concen: 19.64 ug/l
RT: 4.68 min Scan# 1272
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
83	100		
85	66.2	52.4	78.6





#31

Cyclohexane

Concen: 18.40 ug/l

RT: 5.00 min Scan# 1372

Delta R.T. 0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	56	Resp:	75796
Ion	Ratio	Lower	Upper
56	100		
69	33.9	24.8	37.2
84	89.0	65.2	97.8

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#32

1,1,1-Trichloroethane

Concen: 19.40 ug/l




RT: 4.92 min Scan# 1347


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	97	Resp:	78896
Ion	Ratio	Lower	Upper
97	100		
99	64.5	51.0	76.6
61	44.2	39.4	59.0









#33
 1,2-Dichloroethane-d4
 Concen: 47.38 ug/l
 RT: 5.31 min Scan# 1469
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion	Ratio	Resp	Lower	Upper
65	100	139385		
67	51.4	0.0	107.0	




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 5.89 min Scan# 1648
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Resp	Lower	Upper
114	100	271767		
63	21.1	0.0	45.4	
88	15.9	0.0	31.0	









#35
 Dibromofluoromethane
 Concen: 49.84 ug/l
 RT: 4.89 min Scan# 1336
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion	Ratio	Resp	Lower	Upper
113	100			
111	104.5	82.2	123.4	
192	21.1	16.2	24.4	




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#36
 1,1-Dichloropropene
 Concen: 18.97 ug/l
 RT: 5.14 min Scan# 1416
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Resp	Lower	Upper
75	100			
110	36.1	17.0	50.9	
77	30.1	24.2	36.4	









#37
Ethyl Acetate
Concen: 20.55 ug/l
RT: 4.38 min Scan# 1179
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampled :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
43	100		
61	13.8	10.5	15.7
70	10.9	7.4	11.2




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#38
Carbon Tetrachloride
Concen: 19.70 ug/l
RT: 5.14 min Scan# 1415
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
117	100		
119	98.0	76.1	114.1
121	28.7	23.7	35.5









#39
Methylvlcyclohexane
Concen: 19.31 ug/l
RT: 6.42 min Scan# 1813
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
83	100		
55	75.2	65.8	98.6
98	43.6	36.7	55.1




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#40
Benzene
Concen: 19.85 ug/l
RT: 5.39 min Scan# 1494
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
78	100		
77	23.7	19.2	28.8









#41
Methacrylonitrile
Concen: 20.73 ug/l
RT: 4.54 min Scan# 1230
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ion	Ratio	Resp	Lower	Upper
41	100		38911		
39	58.8	43.8	65.6		
67	72.9	56.3	84.5		
52	30.9	23.2	34.8		




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#42
1,2-Dichloroethane
Concen: 20.49 ug/l
RT: 5.41 min Scan# 1499
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ion	Ratio	Resp	Lower	Upper
62	100		71012		
98	8.0	0.0	16.6		









#43
Isopropyl Acetate
Concen: 19.40 ug/l
RT: 5.55 min Scan# 1542
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
43	100		
61	19.5	15.4	23.0
87	13.3	10.0	15.0




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#44
Trichloroethene
Concen: 19.25 ug/l
RT: 6.19 min Scan# 1742
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
130	100		
95	95.4	0.0	202.4





#45

1,2-Dichloropropane

Concen: 20.37 ug/l

RT: 6.44 min Scan# 1818

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 63 Resp: 49458

Ion Ratio Lower Upper

63 100





65 31.6 24.8 37.2

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#46

Dibromomethane

Concen: 20.67 ug/l

RT: 6.56 min Scan# 1858

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29




Tgt Ion: 93 Resp: 35245


Ion Ratio Lower Upper

93 100

95 82.4 65.5 98.3

174 103.3 78.7 118.1





#47

Bromodichloromethane

Concen: 19.98 ug/l

RT: 6.76 min Scan# 1919

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	83	Resp:	67842
Ion	Ratio	Lower	Upper
83	100		
85	66.0	51.9	77.9
127	9.2	6.6	9.8

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#48

Methyl methacrylate

Concen: 20.04 ug/l




RT: 6.63 min Scan# 1877


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	41	Resp:	58706
Ion	Ratio	Lower	Upper
41	100		
69	81.1	67.3	100.9
39	61.2	46.5	69.7









#49
1,4-Dioxane
Concen: 478.85 ug/l
RT: 6.62 min Scan# 1874
Delta R.T. 0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
88	100		
43	36.0	28.6	42.8
58	67.8	58.2	87.4




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#50
Toluene-d8
Concen: 47.30 ug/l
RT: 7.57 min Scan# 2170
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
98	100		
100	63.6	51.1	76.7





#51

4-Methyl-2-Pentanone

Concen: 100.34 ug/l

RT: 7.46 min Scan# 2137

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampled :

VU0625WBS01

Tot Ion: 43 Resp: 379271

Ion Ratio Lower Upper

43 100





58 38.4 30.0 45.0

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#52

Toluene

Concen: 19.90 ug/l

RT: 7.64 min Scan# 2193

Delta R.T. -0.00 min

Lab File: VU024868.D




Acq: 25 Jun 2018 12:29


Tgt Ion: 92 Resp: 116478

Ion Ratio Lower Upper

92 100

91 174.2 140.5 210.7





#53

t-1,3-Dichloropropene

Concen: 19.52 ug/l

RT: 7.88 min Scan# 2268

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampled :

VU0625WBS01

Tot Ion: 75 Resp: 74463

Ion Ratio Lower Upper

75 100





77 30.2 24.8 37.2

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#54

cis-1,3-Dichloropropene

Concen: 18.82 ug/l

RT: 7.27 min Scan# 2078

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29




Tgt Ion: 75 Resp: 76470


Ion Ratio Lower Upper

75 100

77 32.1 24.6 36.8

39 53.1 39.8 59.6









#55
 1,1,2-Trichloroethane
 Concen: 20.38 ug/l
 RT: 8.07 min Scan# 2327
 Delta R.T. 0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion:	97	Resp:	48503
Ion	Ratio	Lower	Upper
97	100		
83	82.3	70.5	105.7
85	54.6	46.4	69.6
99	62.7	50.2	75.2




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#56
 Ethyl methacrylate
 Concen: 19.82 ug/l
 RT: 8.02 min Scan# 2311
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion:	69	Resp:	78953
Ion	Ratio	Lower	Upper
69	100		
41	69.2	54.1	81.1
39	40.3	30.3	45.5









#57
 1,3-Dichloropropane
 Concen: 20.50 ug/l
 RT: 8.25 min Scan# 2381
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion: 76 Resp: 82315
 Ion Ratio Lower Upper
 76 100
 78 32.5 25.2 37.8




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#58
 2-Chloroethyl Vinyl ether
 Concen: 59.60 ug/l
 RT: 7.13 min Scan# 2034
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion: 63 Resp: 90941
 Ion Ratio Lower Upper
 63 100
 106 27.7 20.2 30.2









#59
2-Hexanone
Concen: 98.85 ug/l
RT: 8.36 min Scan# 2417
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion: 43 Resp: 305044
Ion Ratio Lower Upper
43 100
58 52.8 26.4 79.0




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#60
Dibromochloromethane
Concen: 18.88 ug/l
RT: 8.48 min Scan# 2454
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion: 129 Resp: 56040
Ion Ratio Lower Upper
129 100
127 76.4 38.6 116.0





#61

1,2-Dibromoethane

Concen: 19.62 ug/l

RT: 8.59 min Scan# 2488

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion:107 Resp: 51963

Ion Ratio Lower Upper

107 100





109 95.1 74.5 111.7

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#62

4-Bromofluorobenzene

Concen: 46.85 ug/l

RT: 10.31 min Scan# 3023

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29




Tgt Ion: 95 Resp: 153036


Ion Ratio Lower Upper

95 100

174 85.4 0.0 165.8

176 84.0 0.0 159.4









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 9.09 min Scan# 2644
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Resp	Lower	Upper
117	100	251038		
82	57.3	44.3	66.5	
119	31.9	25.4	38.2	




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#64
Tetrachloroethene
Concen: 18.74 ug/l
RT: 8.23 min Scan# 2376
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Resp	Lower	Upper
164	100	44720		
166	131.6	101.7	152.5	
129	94.7	76.9	115.3	
131	94.2	74.9	112.3	









#65
Chlorobenzene
Concen: 20.26 ug/l
RT: 9.12 min Scan# 2654
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
112	100		
114	31.3	25.6	38.4




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#66
1,1,1,2-Tetrachloroethane
Concen: 20.97 ug/l
RT: 9.21 min Scan# 2681
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
131	100		
133	95.9	46.9	140.8
119	66.5	33.5	100.4









#67
Ethyl Benzene
Concen: 20.22 ug/l
RT: 9.25 min Scan# 2694
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
91	100		
106	30.8	24.2	36.4




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#68
m/p-Xylenes
Concen: 40.39 ug/l
RT: 9.38 min Scan# 2733
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
106	100		
91	204.6	166.5	249.7









#69
o-Xylene
Concen: 20.53 ug/l
RT: 9.78 min Scan# 2859
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion:106 Resp: 87727
Ion Ratio Lower Upper
106 100
91 214.4 110.7 331.9




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#70
Styrene
Concen: 19.95 ug/l
RT: 9.80 min Scan# 2863
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion:104 Resp: 140083
Ion Ratio Lower Upper
104 100
78 53.4 40.6 60.8
103 56.1 44.7 67.1





#71

Bromoform

Concen: 18.80 ug/l

RT: 9.96 min Scan# 2915

Delta R.T. 0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	173	Resp:	43545
Ion Ratio	Lower	Upper	
173	100		
175	49.6	24.6	74.0
254	0.0	0.0	0.0

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l




RT: 11.49 min Scan# 3389


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	152	Resp:	146246
Ion Ratio	Lower	Upper	
152	100		
115	68.3	43.0	129.0
150	164.8	0.0	354.0





#73

Isopropylbenzene

Concen: 21.00 ug/l

RT: 10.17 min Scan# 2979

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 105 Resp: 235769

Ion Ratio Lower Upper

105 100





120 26.8 13.2 39.6

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#74

N-ethyl acetate

Concen: 19.46 ug/l

RT: 10.01 min Scan# 2931

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion: 43 Resp: 103923




Ion Ratio Lower Upper


43 100

70 40.9 32.2 48.4

55 23.4 20.5 30.7

61 23.3 18.7 28.1





#75

1,1,2,2-Tetrachloroethane

Concen: 21.70 ug/l

RT: 10.46 min Scan# 3070

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 83 Resp: 81641

Ion Ratio Lower Upper

83 100

131 10.4 4.7 14.1





85 64.3 32.5 97.5

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#76

1,2,3-Trichloropropane

Concen: 23.69 ug/l m

RT: 10.50 min Scan# 3081

Delta R.T. -0.00 min

Lab File: VU024868.D




Acq: 25 Jun 2018 12:29


Tgt Ion: 75 Resp: 76282

Ion Ratio Lower Upper

75 100

77 36.8 20.9 62.7





#77

Bromobenzene

Concen: 21.09 ug/l

RT: 10.45 min Scan# 3068

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion	Ratio	Lower	Upper
156	100		
77	151.0	80.5	241.3
158	96.9	48.2	144.6

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#78

n-propylbenzene

Concen: 19.96 ug/l




RT: 10.59 min Scan# 3110


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
91	100		
120	23.5	11.2	33.5





#79

2-Chlorotoluene

Concen: 20.77 ug/l

RT: 10.66 min Scan# 3133

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion: 91 Resp: 162001

Ion Ratio Lower Upper

91 100





126 35.2 16.9 50.7

Manual Integrations

APPROVED

apatel

6/27/2018 11:18:55 AM



#80

1,3,5-Trimethylbenzene

Concen: 20.69 ug/l

RT: 10.78 min Scan# 3168

Delta R.T. -0.00 min

Lab File: VU024868.D




Acq: 25 Jun 2018 12:29


Tgt Ion: 105 Resp: 201372

Ion Ratio Lower Upper

105 100

120 48.3 24.1 72.2









#81
trans-1,4-Dichloro-2-butene
Concen: 17.78 ug/l m
RT: 10.51 min Scan# 3086
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Instrument :
MSVOA_U
ClientSampleId :
VU0625WBS01

Tot Ion	Ratio	Lower	Upper
75	100		
53	0.0	0.0	0.0
89	0.0	0.0	0.0




Manual Integrations
APPROVED


apatel
6/27/2018 11:18:55 AM



#82
4-Chlorotoluene
Concen: 20.45 ug/l
RT: 10.78 min Scan# 3168
Delta R.T. -0.00 min
Lab File: VU024868.D
Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
91	100		
126	31.0	14.9	44.9









#83
 tert-Butylbenzene
 Concen: 21.81 ug/l
 RT: 11.10 min Scan# 3270
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion	Ratio	Lower	Upper
119	100		
91	59.6	29.7	89.1
134	23.3	11.6	34.7




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#84
 1,2,4-Trimethylbenzene
 Concen: 20.68 ug/l
 RT: 11.15 min Scan# 3285
 Delta R.T. 0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
105	100		
120	45.7	22.6	67.8





#85

sec-Butylbenzene

Concen: 20.47 ug/l

RT: 11.33 min Scan# 3339

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U

ClientSampleId :

VU0625WBS01

Tot Ion:105 Resp: 239912

Ion Ratio Lower Upper


105 100

134 20.2 9.7 29.1

Manual Integrations
APPROVED




apatel

6/27/2018 11:18:55 AM



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 134.00 (133.70 to 134.70): V



#86

p-Isopropyltoluene

Concen: 20.34 ug/l

RT: 11.48 min Scan# 3386

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29


Tgt Ion:119 Resp: 213496

Ion Ratio Lower Upper

119 100

134 26.9 12.9 38.6



91 24.5 12.0 36.1




Abundance Ion 119.00 (118.70 to 119.70): V

Ion 134.00 (133.70 to 134.70): V

Ion 91.00 (90.70 to 91.70): VU0









#87
 1,3-Dichlorobenzene
 Concen: 20.71 ug/l
 RT: 11.42 min Scan# 3368
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion	Ratio	Lower	Upper
146	100		
111	39.3	20.0	60.0
148	63.2	32.1	96.5




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#88
 1,4-Dichlorobenzene
 Concen: 20.28 ug/l
 RT: 11.51 min Scan# 3396
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion	Ratio	Lower	Upper
146	100		
111	40.6	19.5	58.5
148	64.5	32.4	97.0





#89

n-Butylbenzene

Concen: 18.51 ug/l

RT: 11.89 min Scan# 3515

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	91	Resp:	172422
Ion Ratio	Lower	Upper	
91	100		
92	52.1	25.6	76.8
134	26.5	12.3	36.8

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#90

Hexachloroethane

Concen: 19.44 ug/l




RT: 12.15 min Scan# 3595


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	117	Resp:	39808
Ion Ratio	Lower	Upper	
117	100		
201	81.2	41.1	123.3





#91

1,2-Dichlorobenzene

Concen: 21.53 ug/l

RT: 11.88 min Scan# 3512

Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U





ClientSampleId :

VU0625WBS01

Tot Ion:	146	Resp:	113228
Ion Ratio	Lower	Upper	
146	100		
111	41.8	20.5	61.6
148	64.3	31.9	95.7

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



#92

1,2-Dibromo-3-Chloropropane

Concen: 19.60 ug/l




RT: 12.66 min Scan# 3753


Delta R.T. -0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	75	Resp:	20348
Ion Ratio	Lower	Upper	
75	100		
155	85.6	40.4	121.2
157	115.3	52.3	156.8









#93
 1,2,4-Trichlorobenzene
 Concen: 21.71 ug/l
 RT: 13.51 min Scan# 4017
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Instrument :
 MSVOA_U
 ClientSampleId :
 VU0625WBS01

Tot Ion:	180	Resp:	70536
Ion Ratio	Lower	Upper	
180	100		
182	97.6	48.0	144.2
145	30.1	14.7	44.1




Manual Integrations
 APPROVED


apatel
 6/27/2018 11:18:55 AM



#94
 Hexachlorobutadiene
 Concen: 21.00 ug/l
 RT: 13.70 min Scan# 4076
 Delta R.T. -0.00 min
 Lab File: VU024868.D
 Acq: 25 Jun 2018 12:29

Tgt Ion:	225	Resp:	38395
Ion Ratio	Lower	Upper	
225	100		
223	63.6	31.3	93.8
227	62.3	31.8	95.4





#95

Naphthalene

Concen: 22.00 ug/l

RT: 13.74 min Scan# 4091

Delta R.T. 0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Instrument :

MSVOA_U


ClientSampleId :

VU0625WBS01




Tot Ion:	128	Resp:	232471
Ion Ratio	Lower	Upper	
128	100		
127	12.9	10.6	16.0
129	10.8	8.6	12.8

Manual Integrations
APPROVED

apatel
6/27/2018 11:18:55 AM



Abundance Ion 128.00 (127.70 to 128.70): V
Ion 127.00 (126.70 to 127.70): V
Ion 129.00 (128.70 to 129.70): V



#96

1,2,3-Trichlorobenzene

Concen: 23.30 ug/l


RT: 13.99 min Scan# 4168

Delta R.T. 0.00 min

Lab File: VU024868.D

Acq: 25 Jun 2018 12:29

Tgt Ion:	180	Resp:	75411
Ion Ratio	Lower	Upper	
180	100		
182	95.2	47.9	143.7
145	31.6	15.4	46.1



Abundance Ion 179.80 (179.50 to 180.50): V
Ion 181.80 (181.50 to 182.50): V
Ion 144.90 (144.60 to 145.60): V

