

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062520\
 Data File : VU039119.D
 Acq On : 25 Jun 2020 16:24
 Operator : SY/MD
 Sample : L3110-09DL 5X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F24DL

Quant Time: Jun 26 02:28:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 26 00:59:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	251372	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	255190	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	116047	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	88435	4.81	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.20%
7) Chloroethane-d5	1.93	69	76034	5.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.00%
11) 1,1-Dichloroethene-d2	2.58	63	135613	3.83	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.60%
20) 2-Butanone-d5	4.68	46	417897	62.91	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	125.82%
24) Chloroform-d	5.10	84	190137	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.00%
26) 1,2-Dichloroethane-d4	5.74	65	122397	5.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.00%
32) Benzene-d6	5.76	84	363953	5.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.80%
36) 1,2-Dichloropropane-d6	6.72	67	120661	5.07	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.40%
41) Toluene-d8	7.92	98	276636	4.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.40%
43) trans-1,3-Dichloropropene-	8.20	79	49889	4.83	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.60%
46) 2-Hexanone-d5	8.66	63	323209	60.59	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	121.18%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	117519	5.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	106.40%
64) 1,2-Dichlorobenzene-d4	12.20	152	121542	5.62	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.40%


Target Compounds					Ovalue
47) Tetrachloroethene	8.57	164	80633	5.769 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062520\
Data File : VU039119.D
Acq On : 25 Jun 2020 16:24
Operator : SY/MD
Sample : L3110-09DL 5X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9F24DL

Quant Time: Jun 26 02:28:06 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 26 00:59:08 2020
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 5.769 ug/L

RT: 8.57 min Scan# 2249

Delta R.T. -0.00 min

Lab File: VU039119.D

Acq: 25 Jun 2020 16:24

Instrument :

MSVOA_U

ClientSampleId :

F9F24DL

Tot Ion:164 Resp: 80633


Ion Ratio Lower Upper

164 100

129 99.5 71.3 132.5

131 100.4 68.3 126.8

166 130.1 90.8 168.6



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

