

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062520\
 Data File : VU039139.D
 Acq On : 26 Jun 2020 01:50
 Operator : SY/MD
 Sample : L3104-05 40X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9Q17

Quant Time: Jun 26 05:15:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 26 04:20:15 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	237794	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	236748	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	95547	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	73140	4.20	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.00%
7) Chloroethane-d5	1.93	69	74038	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.00%
11) 1,1-Dichloroethene-d2	2.59	63	116268	3.47	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.40%
20) 2-Butanone-d5	4.68	46	399432	63.56	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	127.12%
24) Chloroform-d	5.10	84	180870	5.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.60%
26) 1,2-Dichloroethane-d4	5.74	65	117045	5.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.20%
32) Benzene-d6	5.76	84	329223	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.20%
36) 1,2-Dichloropropane-d6	6.72	67	116499	5.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.60%
41) Toluene-d8	7.92	98	244440	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
43) trans-1,3-Dichloropropene-	8.20	79	44341	4.62	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.40%
46) 2-Hexanone-d5	8.66	63	293840	59.38	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	118.76%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	107676	5.25	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	99609	5.60	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.00%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	5210	0.256 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062520\
Data File : VU039139.D
Acq On : 26 Jun 2020 01:50
Operator : SY/MD
Sample : L3104-05 40X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9Q17

Quant Time: Jun 26 05:15:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 26 04:20:15 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.256 ug/L

RT: 3.08 min Scan# 540

Delta R.T. 0.00 min

Lab File: VU039139.D

Acq: 26 Jun 2020 01:50

Instrument :

MSVOA_U

ClientSampleId :

F9Q17


Tot Ion: 84 Resp: 5210

Ion Ratio Lower Upper

84 100

86 57.0 44.1 81.9

49 128.0 93.1 172.9



Abundance Ion 84.05 (83.75 to 84.75): VU0
 Ion 86.00 (85.70 to 86.70): VU0
 Ion 49.10 (48.80 to 49.80): VU0

