

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062520\
 Data File : VU039144.D
 Acq On : 26 Jun 2020 03:45
 Operator : SY/MD
 Sample : L3104-10 40X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9Q61

Quant Time: Jun 26 06:29:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 26 04:20:15 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	218682	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	216400	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	88640	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	71128	4.44	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.80%
7) Chloroethane-d5	1.93	69	72607	5.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.80%
11) 1,1-Dichloroethene-d2	2.59	63	107688	3.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.00%
20) 2-Butanone-d5	4.68	46	409477	70.85	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	141.70%#
24) Chloroform-d	5.10	84	179311	5.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	113.80%
26) 1,2-Dichloroethane-d4	5.74	65	119278	6.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	123.20%
32) Benzene-d6	5.76	84	322524	5.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.40%
36) 1,2-Dichloropropane-d6	6.72	67	114182	5.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	113.20%
41) Toluene-d8	7.92	98	233443	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
43) trans-1,3-Dichloropropene-	8.20	79	46106	5.26	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	105.20%
46) 2-Hexanone-d5	8.66	63	298834	66.07	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	132.14%#
57) 1,1,2,2-Tetrachloroethane-	10.77	84	108012	5.76	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	115.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	95180	5.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.20%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	5363	0.287 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062520\
Data File : VU039144.D
Acq On : 26 Jun 2020 03:45
Operator : SY/MD
Sample : L3104-10 40X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9Q61

Quant Time: Jun 26 06:29:04 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 26 04:20:15 2020
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 0.287 ug/L
RT: 3.08 min Scan# 540
Delta R.T. -0.00 min
Lab File: VU039144.D
Acq: 26 Jun 2020 03:45

Instrument :
MSVOA_U
ClientSampleId :
F9Q61

Tot Ion: 84 Resp: 5363
Ion Ratio Lower Upper
84 100
86 53.7 44.1 81.9
49 119.7 93.1 172.9

