

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062718\
 Data File : VU024981.D
 Acq On : 27 Jun 2018 21:43
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 28 05:03:17 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.626	0.538	14.1	82	0.00
3 P	Chloromethane	0.639	0.552	13.6	86	0.00
4 C	Vinyl Chloride	0.659	0.606	8.0#	87	0.00
5 T	Bromomethane	0.319	0.356	-11.6	102	0.00
6 T	Chloroethane	0.431	0.395	8.4	96	0.00
7 T	Trichlorofluoromethane	1.006	1.015	-0.9	97	0.00
8 T	Diethyl Ether	0.390	0.374	4.1	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.624	0.588	5.8	90	0.00
10 T	Methyl Iodide	0.451	0.689	-52.8#	123	0.00
11 T	Tert butyl alcohol	0.199	0.184	7.5	91	0.00
12 CM	1,1-Dichloroethene	0.569	0.547	3.9#	89	0.00
13 T	Acrolein	0.104	0.041	60.6#	38#	0.00
14 T	Allyl chloride	1.057	0.971	8.1	89	0.00
15 T	Acrylonitrile	0.386	0.379	1.8	89	0.00
16 T	Acetone	0.439	0.352	19.8	78	0.00
17 T	Carbon Disulfide	1.823	1.562	14.3	81	0.00
18 T	Methyl Acetate	0.940	1.095	-16.5	109	0.00
19 T	Methyl tert-butyl Ether	2.140	2.196	-2.6	96	0.00
20 T	Methylene Chloride	0.688	0.662	3.8	94	0.00
21 T	trans-1,2-Dichloroethene	0.627	0.619	1.3	94	0.00
22 T	Diisopropyl ether	2.096	2.115	-0.9	95	0.00
23 T	Vinyl Acetate	1.877	1.798	4.2	88	0.00
24 P	1,1-Dichloroethane	1.205	1.209	-0.3	93	0.00
25 T	2-Butanone	0.589	0.550	6.6	84	0.00
26 T	2,2-Dichloropropane	1.145	1.012	11.6	84	0.00
27 T	cis-1,2-Dichloroethene	0.721	0.717	0.6	94	0.00
28 T	Bromochloromethane	0.531	0.505	4.9	83	0.00
29 T	Tetrahydrofuran	0.365	0.355	2.7	92	0.00
30 C	Chloroform	1.220	1.282	-5.1#	98	0.00
31 T	Cyclohexane	1.323	1.117	15.6	93	0.00
32 T	1,1,1-Trichloroethane	1.128	1.183	-4.9	100	0.00
33 S	1,2-Dichloroethane-d4	0.816	0.798	2.2	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.415	0.425	-2.4	90	0.00
36 T	1,1-Dichloropropene	0.588	0.601	-2.2	93	0.00
37 T	Ethyl Acetate	0.640	0.682	-6.6	89	0.00
38 T	Carbon Tetrachloride	0.646	0.687	-6.3	96	0.00
39 T	Methylcyclohexane	0.733	0.737	-0.5	92	0.00
40 TM	Benzene	1.674	1.754	-4.8	94	0.00
41 T	Methacrylonitrile	0.345	0.380	-10.1	92	0.00
42 TM	1,2-Dichloroethane	0.638	0.727	-13.9	103	0.00
43 T	Isopropyl Acetate	1.107	1.092	1.4	89	0.00
44 TM	Trichloroethene	0.476	0.496	-4.2	96	0.00
45 C	1,2-Dichloropropane	0.447	0.465	-4.0#	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062718\
 Data File : VU024981.D
 Acq On : 27 Jun 2018 21:43
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 28 05:03:17 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.314	0.339	-8.0	95	0.00
47 T	Bromodichloromethane	0.625	0.658	-5.3	95	0.00
48 T	Methyl methacrylate	0.539	0.571	-5.9	94	0.00
49 T	1,4-Dioxane	0.011	0.013	-18.2	117	0.00
50 S	Toluene-d8	1.514	1.433	5.4	83	0.00
51 T	4-Methyl-2-Pentanone	0.695	0.709	-2.0	91	0.00
52 CM	Toluene	1.077	1.138	-5.7#	95	0.00
53 T	t-1,3-Dichloropropene	0.702	0.701	0.1	88	0.00
54 T	cis-1,3-Dichloropropene	0.748	0.737	1.5	88	0.00
55 T	1,1,2-Trichloroethane	0.438	0.457	-4.3	97	0.00
56 T	Ethyl methacrylate	0.733	0.744	-1.5	92	0.00
57 T	1,3-Dichloropropane	0.739	0.791	-7.0	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.281	0.072	74.4#	22#	0.00
59 T	2-Hexanone	0.568	0.575	-1.2	92	0.00
60 T	Dibromochloromethane	0.546	0.540	1.1	91	0.00
61 T	1,2-Dibromoethane	0.487	0.510	-4.7	96	0.00
62 S	4-Bromofluorobenzene	0.601	0.611	-1.7	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.475	0.473	0.4	90	0.00
65 PM	Chlorobenzene	1.277	1.352	-5.9	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.485	0.505	-4.1	97	0.00
67 C	Ethyl Benzene	2.239	2.347	-4.8#	97	0.00
68 T	m/p-Xylenes	0.860	0.912	-6.0	98	0.00
69 T	o-Xylene	0.851	0.918	-7.9	101	0.00
70 T	Styrene	1.398	1.463	-4.6	96	0.00
71 P	Bromoform	0.461	0.445	3.5	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.839	3.931	-2.4	100	0.00
74 T	N-amyl acetate	1.826	1.689	7.5	90	0.00
75 P	1,1,2,2-Tetrachloroethane	1.286	1.314	-2.2	103	0.00
76 T	1,2,3-Trichloropropane	1.101	1.202	-9.2	106	0.00
77 T	Bromobenzene	0.972	1.006	-3.5	101	0.00
78 T	n-propylbenzene	4.522	4.480	0.9	96	0.00
79 T	2-Chlorotoluene	2.667	2.725	-2.2	101	0.00
80 T	1,3,5-Trimethylbenzene	3.327	3.432	-3.2	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.424	10.9	87	0.00
82 T	4-Chlorotoluene	3.104	3.113	-0.3	98	0.00
83 T	tert-Butylbenzene	3.201	3.394	-6.0	105	0.00
84 T	1,2,4-Trimethylbenzene	3.391	3.494	-3.0	100	0.00
85 T	sec-Butylbenzene	4.006	4.087	-2.0	99	0.00
86 T	p-Isopropyltoluene	3.588	3.631	-1.2	99	0.00
87 T	1,3-Dichlorobenzene	1.795	1.849	-3.0	101	0.00
88 T	1,4-Dichlorobenzene	1.807	1.856	-2.7	100	0.00
89 T	n-Butylbenzene	3.186	2.971	6.7	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062718\
Data File : VU024981.D
Acq On : 27 Jun 2018 21:43
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Jun 28 05:03:17 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.700	0.642	8.3	92	0.00
91 T	1,2-Dichlorobenzene	1.798	1.935	-7.6	106	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.355	0.350	1.4	93	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.247	-12.2	98	0.00
94 T	Hexachlorobutadiene	0.625	0.666	-6.6	103	0.00
95 T	Naphthalene	3.293	4.036	-22.6#	102	0.00
96 T	1,2,3-Trichlorobenzene	1.107	1.294	-16.9	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6