

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062718\
 Data File : VU025001.D
 Acq On : 28 Jun 2018 05:47
 Operator : MD/SY
 Sample : J3671-03ME
 Misc : 6.88g/5mL/100uL/5.00ML/MSVOA_U/MEOH
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 WP021SB478-15-17-180621ME

Quant Time: Jun 28 09:59:41 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	228688	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	351936	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.10	117	337875	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.49	152	190885	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	176234	47.20	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.40%	
35) Dibromofluoromethane	4.89	113	134694	46.12	ug/l	0.00
Spiked Amount 50.000			Recovery	=	92.24%	
50) Toluene-d8	7.57	98	515522	48.39	ug/l	0.00
Spiked Amount 50.000			Recovery	=	96.78%	
62) 4-Bromofluorobenzene	10.32	95	212366	50.20	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.40%	
Target Compounds						
27) cis-1,2-Dichloroethene	4.22	96	31976	9.70	ug/l	90
44) Trichloroethene	6.19	130	6550	1.95	ug/l	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062718\
Data File : VU025001.D
Acq On : 28 Jun 2018 05:47
Operator : MD/SY
Sample : J3671-03ME
Misc : 6.88g/5mL/100uL/5.00ML/MSVOA_U/MEOH
ALS Vial : 49 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
WP021SB478-15-17-180621ME

Quant Time: Jun 28 09:59:41 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 4.98 min Scan# 1366

Delta R.T. -0.01 min

Lab File: VU025001.D

Acq: 28 Jun 2018 05:47

Instrument :

MSVOA_U

ClientSampleId :


WP021SB478-15-17-180621ME

Tot Ion:168 Resp: 228688

Ion Ratio Lower Upper

168 100

99 58.3 43.2 64.8



Abundance Ion 167.90 (167.60 to 168.60): VU024502.D (-1351) (-)

Ion 98.90 (98.60 to 99.60): VU024502.D (-1351) (-)

4.98

100000

80000



60000

40000

20000

0

Time-->



#27

cis-1,2-Dichloroethene

Concen: 9.70 ug/l

RT: 4.22 min Scan# 1130

Delta R.T. -0.01 min

Lab File: VU025001.D

Acq: 28 Jun 2018 05:47


Tgt Ion: 96 Resp: 31976

Ion Ratio Lower Upper

96 100

61 135.5 0.0 306.6

98 65.4 0.0 128.8



Abundance Ion 95.90 (95.60 to 96.60): VU024502.D (-1111) (-)

Ion 60.90 (60.60 to 61.60): VU024502.D (-1111) (-)

Ion 97.90 (97.60 to 98.60): VU024502.D (-1111) (-)

4.22

20000


15000


10000

5000

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 47.20 ug/l
 RT: 5.31 min Scan# 1468
 Delta R.T. -0.00 min
 Lab File: VU025001.D
 Acq: 28 Jun 2018 05:47




Instrument :
 MSVOA_U
 ClientSampleId :
 WP021SB478-15-17-180621ME


Tot Ion: 65 Resp: 176234
 Ion Ratio Lower Upper
 65 100
 67 51.0 0.0 107.0



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 5.89 min Scan# 1647
 Delta R.T. -0.01 min
 Lab File: VU025001.D
 Acq: 28 Jun 2018 05:47

Tgt Ion: 114 Resp: 351936
 Ion Ratio Lower Upper
 114 100
 63 20.9 0.0 45.4
 88 15.9 0.0 31.0









#35
 Dibromofluoromethane
 Concen: 46.12 ug/l
 RT: 4.89 min Scan# 1336
 Delta R.T. 0.00 min
 Lab File: VU025001.D
 Acq: 28 Jun 2018 05:47

Instrument :
 MSVOA_U
 ClientSampleId :
 WP021SB478-15-17-180621ME

Tot Ion:113 Resp: 134694
 Ion Ratio Lower Upper
 113 100
 111 101.5 82.2 123.4
 192 20.8 16.2 24.4




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V






#44
 Trichloroethene
 Concen: 1.95 ug/l
 RT: 6.19 min Scan# 1741
 Delta R.T. -0.00 min
 Lab File: VU025001.D
 Acq: 28 Jun 2018 05:47

Tgt Ion:130 Resp: 6550
 Ion Ratio Lower Upper
 130 100
 95 95.0 0.0 202.4



Abundance Ion 129.80 (129.50 to 130.50): V
 Ion 94.90 (94.60 to 95.60): VU0





#50

Toluene-d8

Concen: 48.39 ug/l

RT: 7.57 min Scan# 2170

Delta R.T. -0.00 min

Lab File: VU025001.D

Acq: 28 Jun 2018 05:47

Instrument :

MSVOA_U

ClientSampleId :





WP021SB478-15-17-180621ME

Tot Ion: 98 Resp: 515522

Ion Ratio Lower Upper

98 100

100 63.2 51.1 76.7



#62

4-Bromofluorobenzene

Concen: 50.20 ug/l

RT: 10.32 min Scan# 3025

Delta R.T. 0.01 min

Lab File: VU025001.D

Acq: 28 Jun 2018 05:47




Tgt Ion: 95 Resp: 212366


Ion Ratio Lower Upper

95 100

174 84.0 0.0 165.8

176 81.6 0.0 159.4







#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 9.10 min Scan# 2646
Delta R.T. 0.00 min
Lab File: VU025001.D
Acq: 28 Jun 2018 05:47

Instrument :
MSVOA_U
ClientSampleId :
WP021SB478-15-17-180621ME



Tot Ion	Ratio	Lower	Upper
117	100		
82	57.9	44.3	66.5
119	32.6	25.4	38.2



Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V




Time-->




#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 11.49 min Scan# 3390
Delta R.T. 0.00 min
Lab File: VU025001.D
Acq: 28 Jun 2018 05:47

Tgt Ion	Ratio	Lower	Upper
152	100		
115	58.0	43.0	129.0
150	155.8	0.0	354.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V



Time-->

