

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062818\
 Data File : VU025008.D
 Acq On : 28 Jun 2018 10:01
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 05:21:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.626	0.545	12.9	85	0.00
3 P	Chloromethane	0.639	0.542	15.2	87	0.00
4 C	Vinyl Chloride	0.659	0.599	9.1#	88	0.00
5 T	Bromomethane	0.319	0.356	-11.6	104	0.00
6 T	Chloroethane	0.431	0.395	8.4	98	0.00
7 T	Trichlorofluoromethane	1.006	1.012	-0.6	99	0.00
8 T	Diethyl Ether	0.390	0.370	5.1	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.624	0.621	0.5	97	0.00
10 T	Methyl Iodide	0.451	0.656	-45.5#	120	0.00
11 T	Tert butyl alcohol	0.199	0.167	16.1	85	0.00
12 CM	1,1-Dichloroethene	0.569	0.565	0.7#	94	0.00
13 T	Acrolein	0.104	0.047	54.8#	44#	0.00
14 T	Allyl chloride	1.057	1.098	-3.9	103	0.00
15 T	Acrylonitrile	0.386	0.356	7.8	85	0.00
16 T	Acetone	0.439	0.558	-27.1#	127	0.00
17 T	Carbon Disulfide	1.823	1.596	12.5	85	0.00
18 T	Methyl Acetate	0.940	1.008	-7.2	103	0.00
19 T	Methyl tert-butyl Ether	2.140	2.194	-2.5	98	0.00
20 T	Methylene Chloride	0.688	0.660	4.1	96	0.00
21 T	trans-1,2-Dichloroethene	0.627	0.625	0.3	97	0.00
22 T	Diisopropyl ether	2.096	2.129	-1.6	98	0.00
23 T	Vinyl Acetate	1.877	1.789	4.7	90	0.00
24 P	1,1-Dichloroethane	1.205	1.217	-1.0	96	0.00
25 T	2-Butanone	0.589	0.631	-7.1	99	0.00
26 T	2,2-Dichloropropane	1.145	1.184	-3.4	100	0.00
27 T	cis-1,2-Dichloroethene	0.721	0.727	-0.8	97	0.00
28 T	Bromochloromethane	0.531	0.521	1.9	87	0.00
29 T	Tetrahydrofuran	0.365	0.330	9.6	87	0.00
30 C	Chloroform	1.220	1.274	-4.4#	100	0.00
31 T	Cyclohexane	1.323	1.118	15.5	95	0.00
32 T	1,1,1-Trichloroethane	1.128	1.166	-3.4	101	0.00
33 S	1,2-Dichloroethane-d4	0.816	0.774	5.1	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.415	0.423	-1.9	89	0.00
36 T	1,1-Dichloropropene	0.588	0.648	-10.2	100	0.00
37 T	Ethyl Acetate	0.640	0.662	-3.4	86	0.00
38 T	Carbon Tetrachloride	0.646	0.720	-11.5	99	0.00
39 T	Methylcyclohexane	0.733	0.807	-10.1	100	0.00
40 TM	Benzene	1.674	1.820	-8.7	96	0.00
41 T	Methacrylonitrile	0.345	0.374	-8.4	90	0.00
42 TM	1,2-Dichloroethane	0.638	0.750	-17.6	105	0.00
43 T	Isopropyl Acetate	1.107	1.094	1.2	89	0.00
44 TM	Trichloroethene	0.476	0.504	-5.9	97	0.00
45 C	1,2-Dichloropropane	0.447	0.481	-7.6#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062818\
 Data File : VU025008.D
 Acq On : 28 Jun 2018 10:01
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 05:21:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.314	0.346	-10.2	96	0.00
47 T	Bromodichloromethane	0.625	0.674	-7.8	97	0.00
48 T	Methyl methacrylate	0.539	0.568	-5.4	93	0.00
49 T	1,4-Dioxane	0.011	0.013	-18.2	113	0.00
50 S	Toluene-d8	1.514	1.440	4.9	83	0.00
51 T	4-Methyl-2-Pentanone	0.695	0.683	1.7	87	0.00
52 CM	Toluene	1.077	1.172	-8.8#	98	0.00
53 T	t-1,3-Dichloropropene	0.702	0.744	-6.0	93	0.00
54 T	cis-1,3-Dichloropropene	0.748	0.773	-3.3	92	0.00
55 T	1,1,2-Trichloroethane	0.438	0.474	-8.2	100	0.00
56 T	Ethyl methacrylate	0.733	0.738	-0.7	91	0.00
57 T	1,3-Dichloropropane	0.739	0.810	-9.6	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.281	0.049	82.6#	15#	0.00
59 T	2-Hexanone	0.568	0.606	-6.7	97	0.00
60 T	Dibromochloromethane	0.546	0.554	-1.5	93	0.00
61 T	1,2-Dibromoethane	0.487	0.526	-8.0	98	0.00
62 S	4-Bromofluorobenzene	0.601	0.605	-0.7	89	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	87	0.00
64 T	Tetrachloroethene	0.475	0.521	-9.7	95	0.00
65 PM	Chlorobenzene	1.277	1.430	-12.0	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.485	0.532	-9.7	98	0.00
67 C	Ethyl Benzene	2.239	2.525	-12.8#	100	0.00
68 T	m/p-Xylenes	0.860	0.978	-13.7	101	0.00
69 T	o-Xylene	0.851	0.960	-12.8	101	0.00
70 T	Styrene	1.398	1.554	-11.2	98	0.00
71 P	Bromoform	0.461	0.464	-0.7	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.839	4.112	-7.1	103	0.00
74 T	N-amyl acetate	1.826	1.698	7.0	89	0.00
75 P	1,1,2,2-Tetrachloroethane	1.286	1.301	-1.2	100	0.00
76 T	1,2,3-Trichloropropane	1.101	1.192	-8.3	103	0.00
77 T	Bromobenzene	0.972	1.038	-6.8	102	0.00
78 T	n-propylbenzene	4.522	4.739	-4.8	100	0.00
79 T	2-Chlorotoluene	2.667	2.852	-6.9	104	0.00
80 T	1,3,5-Trimethylbenzene	3.327	3.626	-9.0	106	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.438	8.0	89	0.00
82 T	4-Chlorotoluene	3.104	3.325	-7.1	102	0.00
83 T	tert-Butylbenzene	3.201	3.523	-10.1	107	0.00
84 T	1,2,4-Trimethylbenzene	3.391	3.662	-8.0	103	0.00
85 T	sec-Butylbenzene	4.006	4.366	-9.0	104	0.00
86 T	p-Isopropyltoluene	3.588	3.933	-9.6	106	0.00
87 T	1,3-Dichlorobenzene	1.795	1.949	-8.6	104	0.00
88 T	1,4-Dichlorobenzene	1.807	1.991	-10.2	106	0.00
89 T	n-Butylbenzene	3.186	3.321	-4.2	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062818\
Data File : VU025008.D
Acq On : 28 Jun 2018 10:01
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Jun 29 05:21:57 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.700	0.666	4.9	94	0.00
91 T	1,2-Dichlorobenzene	1.798	2.016	-12.1	109	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.355	0.344	3.1	90	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.389	-25.0#	107	0.00
94 T	Hexachlorobutadiene	0.625	0.734	-17.4	111	0.00
95 T	Naphthalene	3.293	4.174	-26.8#	104	0.00
96 T	1,2,3-Trichlorobenzene	1.107	1.407	-27.1#	108	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6