

Data File : VU025050.D
Acq On : 29 Jun 2018 04:00
Operator : MD/SY
Sample : J3671-17ME
Misc : 6.14g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 46 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
WP021SB481-15-17-180621ME

Manual Integrations
APPROVED

MMDadoda
6/29/2018 4:23:45 PM

Quant Time: Jul 05 03:27:50 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	241633	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	361544	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.10	117	348641	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.49	152	209066	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	180067	45.65	ug/l	0.00
Spiked Amount	50.000		Recovery	=	91.30%	
35) Dibromofluoromethane	4.89	113	136498	45.49	ug/l	0.00
Spiked Amount	50.000		Recovery	=	90.98%	
50) Toluene-d8	7.57	98	529497	48.38	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.76%	
62) 4-Bromofluorobenzene	10.32	95	219658	50.55	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.10%	
Target Compounds						
					Qvalue	
4) Vinyl Chloride	1.40	62	2772	0.870	ug/l	89
27) cis-1,2-Dichloroethene	4.22	96	16301	4.679	ug/l	92
39) Methylcyclohexane	6.41	83	4671	0.881	ug/l	94
65) Chlorobenzene	9.13	112	246747	27.704	ug/l	100
67) Ethyl Benzene	9.26	91	4844	0.310	ug/l	96
73) Isopropylbenzene	10.17	105	8699	0.542	ug/l	97
78) n-propylbenzene	10.59	91	21210	1.122	ug/l	98
80) 1,3,5-Trimethylbenzene	10.78	105	4237	0.305	ug/l	89
83) tert-Butylbenzene	11.11	119	16180	1.209	ug/l	89
84) 1,2,4-Trimethylbenzene	11.15	105	8003	0.564	ug/l	100
85) sec-Butylbenzene	11.33	105	42806	2.555	ug/l	92
88) 1,4-Dichlorobenzene	11.51	146	99816	13.210	ug/l	98
89) n-Butylbenzene	11.90	91	33188m	2.492	ug/l	
91) 1,2-Dichlorobenzene	11.89	146	508190	67.581	ug/l	100
93) 1,2,4-Trichlorobenzene	13.51	180	7924	1.706	ug/l	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data File : VU025050.D
Acq On : 29 Jun 2018 04:00
Operator : MD/SY
Sample : J3671-17ME
Misc : 6.14g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 46 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
WP021SB481-15-17-180621ME

Manual Integrations
APPROVED

MMDadoda
6/29/2018 4:23:45 PM

Quant Time: Jul 05 03:27:50 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1366

Delta R.T. -0.01 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Instrument :

MSVOA_U

ClientSampleId :

WP021SB481-15-17-180621ME

Tgt Ion: 168 Resp: 241633

Ion Ratio Lower Upper

168 100


99 54.7 43.2 64.8

Manual Integrations

APPROVED

MMDadoda

6/29/2018 4:23:45 PM



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VU0

120000

100000

80000

60000

40000

20000



0

4.90

5.00

5.10

Time-->



#4

Vinyl Chloride

Concen: 0.870 ug/l

RT: 1.40 min Scan# 252

Delta R.T. -0.00 min

Lab File: VU025050.D


Acq: 29 Jun 2018 04:00

Tgt Ion: 62 Resp: 2772

Ion Ratio Lower Upper

62 100

64 37.1 24.8 37.2



Abundance Ion 61.90 (61.60 to 62.60): VU0

Ion 63.90 (63.60 to 64.60): VU0

2500

2000

1500

1000


500


0

1.40

1.45

Time-->









#27
 cis-1,2-Dichloroethene
 Concen: 4.679 ug/l
 RT: 4.22 min Scan# 1129
 Delta R.T. -0.01 min
 Lab File: VU025050.D
 Acq: 29 Jun 2018 04:00

Instrument :
 MSVOA_U
 ClientSampleId :
 WP021SB481-15-17-180621ME

Tgt Ion	Ratio	Lower	Upper
96	100		
61	139.7	0.0	306.6
98	67.1	0.0	128.8




Manual Integrations
 APPROVED


MMDadoda
 6/29/2018 4:23:45 PM



#33
 1,2-Dichloroethane-d4
 Concen: 45.648 ug/l
 RT: 5.31 min Scan# 1468
 Delta R.T. -0.00 min
 Lab File: VU025050.D
 Acq: 29 Jun 2018 04:00

Tgt Ion	Ratio	Lower	Upper
65	100		
67	51.0	0.0	107.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.89 min Scan# 1647

Delta R.T. -0.01 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Instrument :

MSVOA_U





ClientSampleId :

WP021SB481-15-17-180621ME

Tgt Ion:	114	Resp:	361544
Ion Ratio	Lower	Upper	
114	100		
63	20.8	0.0	45.4
88	15.6	0.0	31.0

Manual Integrations
APPROVED

MMDadoda
6/29/2018 4:23:45 PM



#35

Dibromofluoromethane

Concen: 45.491 ug/l




RT: 4.89 min Scan# 1336


Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Tgt Ion:	113	Resp:	136498
Ion Ratio	Lower	Upper	
113	100		
111	103.4	82.2	123.4
192	21.7	16.2	24.4









#39
Methylcyclohexane
Concen: 0.881 ug/l
RT: 6.41 min Scan# 1811
Delta R.T. -0.01 min
Lab File: VU025050.D
Acq: 29 Jun 2018 04:00

Instrument :
MSVOA_U
ClientSampleId :
WP021SB481-15-17-180621ME

Tgt Ion	Ratio	Lower	Upper
83	100		
55	84.8	65.8	98.6
98	52.8	36.7	55.1




Manual Integrations
APPROVED


MMDadoda
6/29/2018 4:23:45 PM



#50
Toluene-d8
Concen: 48.379 ug/l
RT: 7.57 min Scan# 2170
Delta R.T. -0.00 min
Lab File: VU025050.D
Acq: 29 Jun 2018 04:00

Tgt Ion	Ratio	Lower	Upper
98	100		
100	63.1	51.1	76.7





#62

4-Bromofluorobenzene

Concen: 50.548 ug/l

RT: 10.32 min Scan# 3025

Delta R.T. 0.01 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Instrument :

MSVOA_U





ClientSampleId :

WP021SB481-15-17-180621ME

Tgt Ion	Ratio	Resp	Lower	Upper
95	100	219658		
174	83.8	0.0	165.8	
176	81.9	0.0	159.4	

Manual Integrations
APPROVED

MMDadoda
6/29/2018 4:23:45 PM



#63

Chlorobenzene-d5

Concen: 50.000 ug/l




RT: 9.10 min Scan# 2646


Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Tgt Ion	Ratio	Resp	Lower	Upper
117	100	348641		
82	57.2	44.3	66.5	
119	32.3	25.4	38.2	









#65
Chlorobenzene
Concen: 27.704 ug/l
RT: 9.13 min Scan# 2655
Delta R.T. 0.00 min
Lab File: VU025050.D
Acq: 29 Jun 2018 04:00

Instrument :
MSVOA_U
ClientSampleId :
WP021SB481-15-17-180621ME

Tgt Ion: 112 Resp: 246747
Ion Ratio Lower Upper
112 100
114 31.8 25.6 38.4




Manual Integrations
APPROVED


MMDadoda
6/29/2018 4:23:45 PM



#67
Ethyl Benzene
Concen: 0.310 ug/l
RT: 9.26 min Scan# 2696
Delta R.T. 0.01 min
Lab File: VU025050.D
Acq: 29 Jun 2018 04:00

Tgt Ion: 91 Resp: 4844
Ion Ratio Lower Upper
91 100
106 32.5 24.2 36.4





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 11.49 min Scan# 3390

Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Instrument :

MSVOA_U





ClientSampleId :

WP021SB481-15-17-180621ME

Tgt Ion:	152	Resp:	209066
Ion Ratio	Lower	Upper	
152	100		
115	57.6	43.0	129.0
150	160.5	0.0	354.0

Manual Integrations
APPROVED

MMDadoda
6/29/2018 4:23:45 PM



#73

Isopropylbenzene

Concen: 0.542 ug/l




RT: 10.17 min Scan# 2980


Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Tgt Ion:	105	Resp:	8699
Ion Ratio	Lower	Upper	
105	100		
120	28.2	13.2	39.6





#78

n-propylbenzene

Concen: 1.122 ug/l

RT: 10.59 min Scan# 3111

Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Instrument :

MSVOA_U

ClientSampleId :

WP021SB481-15-17-180621ME

Tgt Ion: 91 Resp: 21210

Ion Ratio Lower Upper

91 100





120 23.2 11.2 33.5

Manual Integrations

APPROVED

MMDadoda

6/29/2018 4:23:45 PM



#80

1,3,5-Trimethylbenzene

Concen: 0.305 ug/l

RT: 10.78 min Scan# 3170

Delta R.T. 0.01 min

Lab File: VU025050.D




Acq: 29 Jun 2018 04:00


Tgt Ion: 105 Resp: 4237

Ion Ratio Lower Upper

105 100

120 40.7 24.1 72.2









#83
 tert-Butylbenzene
 Concen: 1.209 ug/l
 RT: 11.11 min Scan# 3271
 Delta R.T. 0.00 min
 Lab File: VU025050.D
 Acq: 29 Jun 2018 04:00

Instrument :
 MSVOA_U
 ClientSampleId :
 WP021SB481-15-17-180621ME

Tgt Ion	Ratio	Resp	Lower	Upper
119	100	16180		
91	69.8	29.7	89.1	
134	24.4	11.6	34.7	




Manual Integrations
 APPROVED


MMDadoda
 6/29/2018 4:23:45 PM



#84
 1,2,4-Trimethylbenzene
 Concen: 0.564 ug/l
 RT: 11.15 min Scan# 3285
 Delta R.T. 0.00 min
 Lab File: VU025050.D
 Acq: 29 Jun 2018 04:00

Tgt Ion	Ratio	Resp	Lower	Upper
105	100	8003		
120	45.4	22.6	67.8	





#85

sec-Butylbenzene

Concen: 2.555 ug/l

RT: 11.33 min Scan# 3340

Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00

Instrument :

MSVOA_U

ClientSampleId :

WP021SB481-15-17-180621ME

Tgt Ion:105 Resp: 42806

Ion Ratio Lower Upper

105 100





134 15.8 9.7 29.1

Manual Integrations

APPROVED

MMDadoda

6/29/2018 4:23:45 PM



#88

1,4-Dichlorobenzene

Concen: 13.210 ug/l

RT: 11.51 min Scan# 3397

Delta R.T. 0.00 min

Lab File: VU025050.D

Acq: 29 Jun 2018 04:00




Tgt Ion:146 Resp: 99816


Ion Ratio Lower Upper

146 100

111 42.2 19.5 58.5

148 65.0 32.4 97.0









#89
n-Butylbenzene
Concen: 2.492 ug/l m
RT: 11.90 min Scan# 3516
Delta R.T. 0.00 min
Lab File: VU025050.D
Acq: 29 Jun 2018 04:00

Instrument :
MSVOA_U
ClientSampleId :
WP021SB481-15-17-180621ME

Tgt Ion	Ratio	Lower	Upper
91	100		
92	52.0	25.6	76.8
134	44.4	12.3	36.8#




Manual Integrations
APPROVED


MMDadoda
6/29/2018 4:23:45 PM



#91
1,2-Dichlorobenzene
Concen: 67.581 ug/l
RT: 11.89 min Scan# 3513
Delta R.T. 0.00 min
Lab File: VU025050.D
Acq: 29 Jun 2018 04:00

Tgt Ion	Ratio	Lower	Upper
146	100		
111	41.3	20.5	61.6
148	64.2	31.9	95.7





#93
 1,2,4-Trichlorobenzene
 Concen: 1.706 ug/l
 RT: 13.51 min Scan# 4018
 Delta R.T. 0.00 min
 Lab File: VU025050.D
 Acq: 29 Jun 2018 04:00

Instrument :
 MSVOA_U
 ClientSampleId :
 WP021SB481-15-17-180621ME

Tgt Ion:	180	Resp:	7924
Ion	Ratio	Lower	Upper
180	100		
182	100.4	48.0	144.2
145	37.8	14.7	44.1

Manual Integrations
 APPROVED

MMDadoda
 6/29/2018 4:23:45 PM

