

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062819\
 Data File : VU033064.D
 Acq On : 27 Jun 2019 14:11
 Operator : JC/SP
 Sample : VIBLK41
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK41

Quant Time: Jun 28 03:42:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 28 02:43:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	182949	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	181262	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	82938	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	46700	37.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.70%
7) Chloroethane-d5	1.67	69	44438	44.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.12%
11) 1,1-Dichloroethene-d2	2.26	63	79357	31.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.02%
21) 2-Butanone-d5	4.17	46	124960	120.08	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	120.08%
24) Chloroform-d	4.64	84	120037	49.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.78%
26) 1,2-Dichloroethane-d4	5.30	65	86851	53.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.28%
32) Benzene-d6	5.33	84	225727	47.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.54%
36) 1,2-Dichloropropane-d6	6.32	67	76006	50.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.98%
41) Toluene-d8	7.56	98	201184	45.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.94%
43) trans-1,3-Dichloropropene-	7.85	79	36531	46.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.32%
47) 2-Hexanone-d5	8.31	63	70936	100.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.93%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	115953	49.83	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.66%
64) 1,2-Dichlorobenzene-d4	11.86	152	82697	51.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.06%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062819\
Data File : VU033064.D
Acq On : 27 Jun 2019 14:11
Operator : JC/SP
Sample : VIBLK41
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK41

Quant Time: Jun 28 03:42:53 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM061719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 28 02:43:25 2019
Response via : Initial Calibration

