

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062919\
 Data File : VU033082.D
 Acq On : 28 Jun 2019 19:55
 Operator : JC/SP
 Sample : K3597-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAM61

Quant Time: Jun 29 01:16:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jun 29 00:59:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	86456	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	88478	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	43422	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	18894	3.28	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.60%
7) Chloroethane-d5	1.68	69	17874	3.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.00%
11) 1,1-Dichloroethene-d2	2.27	63	32807	2.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	52.60%#
20) 2-Butanone-d5	4.19	46	89126	51.02	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.04%
24) Chloroform-d	4.64	84	49326	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.60%
26) 1,2-Dichloroethane-d4	5.30	65	29568	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.60%
32) Benzene-d6	5.33	84	86337	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.80%
36) 1,2-Dichloropropane-d6	6.32	67	30537	4.29	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.80%
41) Toluene-d8	7.56	98	73773	3.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.00%
43) trans-1,3-Dichloropropene-	7.85	79	11004	3.69	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.80%
46) 2-Hexanone-d5	8.31	63	57177	46.17	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.34%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	28066	4.56	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	11.85	152	33650	4.10	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	82.00%


Target Compounds					Ovalue
13) Acetone	2.32	43	49905	33.897 ug/L	96
21) 2-Butanone	4.28	43	8086	3.902 ug/L #	73
47) Tetrachloroethene	8.22	164	47197	8.213 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062919\
Data File : VU033082.D
Acq On : 28 Jun 2019 19:55
Operator : JC/SP
Sample : K3597-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAM61

Quant Time: Jun 29 01:16:10 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jun 29 00:59:26 2019
Response via : Initial Calibration





#13

Acetone

Concen: 33.897 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.00 min

Lab File: VU033082.D

Acq: 28 Jun 2019 19:55

Instrument :

MSVOA_U

ClientSampleId :





GAM61

Tot Ion: 43 Resp: 49905

Ion Ratio Lower Upper

43 100

58 28.1 0.0 51.8



#21

2-Butanone

Concen: 3.902 ug/L

RT: 4.28 min Scan# 992

Delta R.T. 0.01 min

Lab File: VU033082.D




Acq: 28 Jun 2019 19:55


Tgt Ion: 43 Resp: 8086

Ion Ratio Lower Upper

43 100

72 10.1 11.5 34.5#





#47

Tetrachloroethene

Concen: 8.213 ug/L

RT: 8.22 min Scan# 2218

Delta R.T. -0.00 min

Lab File: VU033082.D


Acq: 28 Jun 2019 19:55

Instrument :

MSVOA_U

ClientSampleId :

GAM61



Tot Ion:164 Resp: 47197

Ion Ratio Lower Upper

164 100

129 93.5 64.9 120.5

131 90.6 63.5 117.9

166 130.2 89.1 165.5

Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

