

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062920\
 Data File : VU039207.D
 Acq On : 29 Jun 2020 21:22
 Operator : SY/MD
 Sample : L3121-15
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F62

Quant Time: Jun 30 03:30:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 30 01:35:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	214561	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	217396	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	93369	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	51745	2.63	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	52.60%
7) Chloroethane-d5	1.93	69	56148	3.61	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	72.20%
11) 1,1-Dichloroethene-d2	2.59	63	64732	1.76	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	35.20%#
20) 2-Butanone-d5	4.67	46	295626	49.15	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.30%
24) Chloroform-d	5.10	84	146859	4.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.80%
26) 1,2-Dichloroethane-d4	5.74	65	90866	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.60%
32) Benzene-d6	5.76	84	265339	3.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.20%
36) 1,2-Dichloropropane-d6	6.72	67	90497	4.19	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.80%
41) Toluene-d8	7.92	98	198901	3.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	66.80%#
43) trans-1,3-Dichloropropene-	8.20	79	28219	2.80	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	56.00%
46) 2-Hexanone-d5	8.65	63	214324	46.78	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.56%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	82557	4.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.60%
64) 1,2-Dichlorobenzene-d4	12.20	152	84519	4.31	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.20%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	1355	0.072 ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062920\
Data File : VU039207.D
Acq On : 29 Jun 2020 21:22
Operator : SY/MD
Sample : L3121-15
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9F62

Quant Time: Jun 30 03:30:26 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 30 01:35:59 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.072 ug/L
 RT: 3.08 min Scan# 540
 Delta R.T. -0.00 min
 Lab File: VU039207.D
 Acq: 29 Jun 2020 21:22

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F62

Tot Ion: 84 Resp: 1355
 Ion Ratio Lower Upper
 84 100
 86 48.2 44.2 82.2
 49 151.0 93.2 173.0

