

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062920\
 Data File : VU039209.D
 Acq On : 29 Jun 2020 22:08
 Operator : SY/MD
 Sample : L3121-17
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F67

Quant Time: Jun 30 03:36:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 30 01:35:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	210140	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	215310	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	95284	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	54984	2.86	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	57.20%
7) Chloroethane-d5	1.93	69	57263	3.75	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	75.00%
11) 1,1-Dichloroethene-d2	2.59	63	91803	2.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	51.00%#
20) 2-Butanone-d5	4.67	46	291396	49.46	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.92%
24) Chloroform-d	5.10	84	145353	4.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.80%
26) 1,2-Dichloroethane-d4	5.74	65	92564	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
32) Benzene-d6	5.76	84	265169	3.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.00%
36) 1,2-Dichloropropane-d6	6.72	67	89556	4.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.60%
41) Toluene-d8	7.92	98	199479	3.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.80%#
43) trans-1,3-Dichloropropene-	8.20	79	28322	2.84	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	56.80%
46) 2-Hexanone-d5	8.65	63	213158	46.98	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.96%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	81865	4.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.80%
64) 1,2-Dichlorobenzene-d4	12.20	152	85269	4.26	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	85.20%


Target Compounds					Ovalue
47) Tetrachloroethene	8.57	164	3779	0.296 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062920\
Data File : VU039209.D
Acq On : 29 Jun 2020 22:08
Operator : SY/MD
Sample : L3121-17
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9F67

Quant Time: Jun 30 03:36:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR062920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 30 01:35:59 2020
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 0.296 ug/L

RT: 8.57 min Scan# 2249

Delta R.T. -0.00 min

Lab File: VU039209.D


Acq: 29 Jun 2020 22:08

Instrument :

MSVOA_U

ClientSampleId :

F9F67



Tot Ion:164 Resp: 3779

Ion Ratio Lower Upper

164 100

129 124.8 67.6 125.6

131 103.3 66.1 122.7

166 132.8 86.8 161.2

Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

