

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062924\
 Data File : VU059655.D
 Acq On : 29 Jun 2024 04:59
 Operator : MD/SY
 Sample : P3059-21
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GN7

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/01/2024
 Supervised By :Semsettin Yesilyurt 07/01/2024

Quant Time: Jun 29 06:05:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jun 29 01:51:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	144618	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	152067	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	66333	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	32426	3.225	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	64.400%	
7) Chloroethane-d5	1.907	69	37420	3.867	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	77.400%	
11) 1,1-Dichloroethene-d2	2.563	65	15667	3.755	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	75.200%	
20) 2-Butanone-d5	4.618	46	105477	50.921	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	101.840%	
24) Chloroform-d	5.055	84	89674	4.345	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.800%	
26) 1,2-Dichloroethane-d4	5.695	65	44718	4.498	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.000%	
32) Benzene-d6	5.721	84	176613	4.220	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.400%	
36) 1,2-Dichloropropane-d6	6.682	67	56178	4.381	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	87.600%	
41) Toluene-d8	7.891	98	146246	3.759	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	75.200%	
43) trans-1,3-Dichloroprop...	8.177	79	16158	4.024	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.400%	
46) 2-Hexanone-d5	8.627	63	80024	47.961	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	95.920%	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	49525	4.674	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	93.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	57975	4.911	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.200%	
Target Compounds					Qvalue	
13) Acetone	2.628	43	107229m	79.802	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062924\
Data File : VU059655.D
Acq On : 29 Jun 2024 04:59
Operator : MD/SY
Sample : P3059-21
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
E1GN7

Quant Time: Jun 29 06:05:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jun 29 01:51:23 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 07/01/2024
Supervised By :Semsettin Yesilyurt 07/01/2024





#13
 Acetone
 Concen: 79.802 ug/L m
 RT: 2.628 min Scan# 41
 Delta R.T. -0.006 min
 Lab File: VU059655.D
 Acq: 29 Jun 2024 04:59

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GN7



Tgt Ion: 43 Resp: 107229
 Ion Ratio Lower Upper
 43 100
 58 36.7 0.0 68.0

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/01/2024
 Supervised By :Semsettin Yesilyurt 07/01/2024

