

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU063023\
 Data File : VU054711.D
 Acq On : 30 Jun 2023 10:36
 Operator : MD/SY
 Sample : VU0630WBL02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK013

Quant Time: Jul 03 06:42:50 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR060723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jul 03 06:42:02 2023
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		6.245	114	270985	5.000	ug/L	0.00
28) Chlorobenzene-d5		9.415	117	264419	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		11.810	152	116176	5.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		1.595	65	86185	4.997	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	100.000%	
7) Chloroethane-d5		1.910	69	75269	4.662	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.200%	
11) 1,1-Dichloroethene-d2		2.563	65	35062	4.552	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	91.000%	
20) 2-Butanone-d5		4.627	46	283214	58.409	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.820%	
24) Chloroform-d		5.058	84	169390	4.699	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.000%	
26) 1,2-Dichloroethane-d4		5.698	65	90216	5.134	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.600%	
32) Benzene-d6		5.724	84	314724	4.282	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.600%	
36) 1,2-Dichloropropane-d6		6.685	67	113571	4.627	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.600%	
41) Toluene-d8		7.894	98	262783	4.028	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.600%	
43) trans-1,3-Dichloroprop...		8.177	79	41555	4.868	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	97.400%	
46) 2-Hexanone-d5		8.630	63	186977	52.210	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.420%	
56) 1,1,2,2-Tetrachloroeth...		10.753	84	90655	4.952	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.000%	
66) 1,2-Dichlorobenzene-d4		12.190	152	97415	4.971	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.400%	
Target Compounds							
47) Tetrachloroethene		8.547	164	7591	0.395	ug/L	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU063023\
Data File : VU054711.D
Acq On : 30 Jun 2023 10:36
Operator : MD/SY
Sample : VU0630WBL02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK013

Quant Time: Jul 03 06:42:50 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR060723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jul 03 06:42:02 2023
Response via : Initial Calibration

