




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
Data File : VU044281.D
Acq On : 01 Jul 2021 13:08
Operator : SY/MD
Sample : M2905-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 02 01:51:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 02 01:46:49 2021
Response via : Initial Calibration



TIC: VU044281.D\data.ms

(13) Acetone (T)




2.649min (-0.000) 1.76 ug/L

response 2299

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	26.90	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
Data File : VU044281.D
Acq On : 01 Jul 2021 13:08
Operator : SY/MD
Sample : M2905-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 02 01:51:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 02 01:46:49 2021
Response via : Initial Calibration



TIC: VU044281.D\data.ms

(13) Acetone (T)

2.649min (-0.000) 3.08 ug/L m

response 4023

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	26.90	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
 Data File : VU044281.D
 Acq On : 01 Jul 2021 13:08
 Operator : SY/MD
 Sample : M2905-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 02 01:51:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 02 01:46:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	146742	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	135344	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	73479	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	33468	4.212	ug/L	0.00
Spiked Amount 5.000	Range 40	- 130	Recovery	=	84.200%	
7) Chloroethane-d5	1.919	69	36171	4.624	ug/L	0.00
Spiked Amount 5.000	Range 65	- 130	Recovery	=	92.400%	
11) 1,1-Dichloroethene-d2	2.572	65	17665	4.332	ug/L	0.00
Spiked Amount 5.000	Range 60	- 125	Recovery	=	86.600%	
20) 2-Butanone-d5	4.642	46	135656	46.367	ug/L	0.00
Spiked Amount 50.000	Range 40	- 130	Recovery	=	92.740%	
24) Chloroform-d	5.073	84	85876	4.801	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	96.000%	
26) 1,2-Dichloroethane-d4	5.710	65	50537	4.727	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	94.600%	
32) Benzene-d6	5.735	84	169019	5.028	ug/L	0.00
Spiked Amount 5.000	Range 70	- 125	Recovery	=	100.600%	
36) 1,2-Dichloropropane-d6	6.700	67	55472	5.092	ug/L	0.00
Spiked Amount 5.000	Range 60	- 140	Recovery	=	101.800%	
41) Toluene-d8	7.906	98	154322	4.948	ug/L	0.00
Spiked Amount 5.000	Range 70	- 130	Recovery	=	99.000%	
43) trans-1,3-Dichloroprop...	8.185	79	22703	4.493	ug/L	0.00
Spiked Amount 5.000	Range 55	- 130	Recovery	=	89.800%	
46) 2-Hexanone-d5	8.639	63	126298	52.478	ug/L	0.00
Spiked Amount 50.000	Range 45	- 130	Recovery	=	104.960%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	47644	4.920	ug/L	0.00
Spiked Amount 5.000	Range 65	- 120	Recovery	=	98.400%	
66) 1,2-Dichlorobenzene-d4	12.198	152	63438	5.240	ug/L	0.00
Spiked Amount 5.000	Range 80	- 120	Recovery	=	104.800%	
Target Compounds						
					Qvalue	
13) Acetone	2.649	43	4023m	3.075	ug/L	
18) trans-1,2-Dichloroethene	3.359	96	3105	0.344	ug/L	96
19) 1,1-Dichloroethane	3.880	63	14271	0.830	ug/L	98
22) cis-1,2-Dichloroethene	4.674	96	3699	0.375	ug/L	95
30) Cyclohexane	5.395	56	1682	0.107	ug/L	89
42) Toluene	7.976	91	4350	0.111	ug/L	88
51) Chlorobenzene	9.452	112	19585	0.782	ug/L	97
60) Isopropylbenzene	10.491	105	14841	0.332	ug/L	100
64) 1,3-Dichlorobenzene	11.751	146	2478	0.123	ug/L #	92
65) 1,4-Dichlorobenzene	11.844	146	3185	0.157	ug/L #	86
67) 1,2-Dichlorobenzene	12.217	146	1800	0.095	ug/L #	75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
Data File : VU044281.D
Acq On : 01 Jul 2021 13:08
Operator : SY/MD
Sample : M2905-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 02 01:51:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 02 01:46:49 2021
Response via : Initial Calibration

