

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
 Data File : VU044287.D
 Acq On : 01 Jul 2021 15:38
 Operator : SY/MD
 Sample : M2905-20
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBK30

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
 Title : TRACE VOA SFAM1.0

Signal : TIC: VU044287.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.604	75	82	92	rBV	42330	48485	6.98%	0.930%
2	1.919	173	180	191	rVB	48439	63167	9.10%	1.211%
3	2.575	371	384	401	rBV	86486	142982	20.59%	2.742%
4	4.456	957	969	985	rBV6	5228	13929	2.01%	0.267%
5	4.642	1012	1027	1071	rBV	72672	233873	33.69%	4.485%
6	5.073	1145	1161	1180	rBV	91071	202113	29.11%	3.876%
7	5.732	1343	1366	1390	rBV2	179628	470652	67.79%	9.025%
8	6.256	1515	1529	1546	rBV	179494	337265	48.58%	6.467%
9	6.700	1650	1667	1685	rBV	115716	226772	32.66%	4.348%
10	7.571	1926	1938	1954	rBV	60895	108277	15.60%	2.076%
11	7.906	2024	2042	2056	rBV	228185	396099	57.05%	7.595%
12	7.977	2058	2064	2076	rVB2	4221	7221	1.04%	0.138%
13	8.186	2117	2129	2154	rBV	39168	71631	10.32%	1.374%
14	8.642	2258	2271	2300	rBV	296661	594072	85.57%	11.391%
15	9.423	2502	2514	2532	rBV	247372	407601	58.71%	7.816%
16	10.684	2895	2906	2919	rBV9	3432	8541	1.23%	0.164%
17	10.761	2919	2930	2945	rVV	91301	150483	21.68%	2.886%
18	11.009	2998	3007	3018	rBV6	4300	9066	1.31%	0.174%
19	11.237	3066	3078	3088	rBV2	11386	19762	2.85%	0.379%
20	11.472	3143	3151	3160	rVB2	8565	12723	1.83%	0.244%
21	11.565	3167	3180	3190	rBV2	18014	31364	4.52%	0.601%
22	11.645	3194	3205	3218	rVB3	25266	40914	5.89%	0.785%
23	11.812	3242	3257	3277	rVV3	317182	694260	100.00%	13.313%
24	12.198	3365	3377	3391	rBV	243129	390642	56.27%	7.491%
25	12.378	3426	3433	3442	rVB4	4794	7291	1.05%	0.140%
26	12.488	3454	3467	3484	rBV3	11620	26089	3.76%	0.500%
27	12.587	3485	3498	3506	rBV10	5329	11972	1.72%	0.230%
28	13.021	3626	3633	3647	rVB10	5608	11359	1.64%	0.218%
29	13.105	3647	3659	3667	rVB10	5431	10958	1.58%	0.210%
30	13.410	3744	3754	3764	rVB2	21389	33719	4.86%	0.647%
31	13.938	3909	3918	3923	rBV2	12153	18083	2.60%	0.347%
32	13.983	3923	3932	3950	rVB4	24070	51467	7.41%	0.987%
33	14.092	3957	3966	3979	rVB2	5900	11493	1.66%	0.220%
34	14.324	4031	4038	4046	rBV7	6885	11965	1.72%	0.229%
35	14.372	4048	4053	4072	rVB6	10912	19320	2.78%	0.370%
36	14.761	4165	4174	4181	rVV3	6841	10351	1.49%	0.198%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
 Data File : VU044287.D
 Acq On : 01 Jul 2021 15:38
 Operator : SY/MD
 Sample : M2905-20
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBK30

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
 Title : TRACE VOA SFAM1.0

37	15.185	4298	4306	4313	rVV4	12289	21225	3.06%	0.407%
38	15.230	4313	4320	4338	rVB2	12731	24346	3.51%	0.467%
39	15.414	4367	4377	4390	rBV5	10647	20612	2.97%	0.395%
40	16.111	4587	4594	4604	rBV	10472	16724	2.41%	0.321%
41	16.195	4612	4620	4629	rBV10	5431	9569	1.38%	0.183%
42	16.266	4634	4642	4658	rVB3	9547	19136	2.76%	0.367%
43	16.414	4671	4688	4695	rBV5	12905	33804	4.87%	0.648%
44	16.455	4697	4701	4710	rVB5	7061	9795	1.41%	0.188%
45	16.671	4762	4768	4776	rBV5	6225	8532	1.23%	0.164%
46	16.815	4798	4813	4825	rBV6	14723	29573	4.26%	0.567%
47	16.947	4842	4854	4862	rBV6	6099	12312	1.77%	0.236%
48	17.021	4868	4877	4889	rBV2	23138	38196	5.50%	0.732%
49	17.166	4913	4922	4933	rVB5	13422	24927	3.59%	0.478%
50	17.233	4938	4943	4952	rVB6	6568	9757	1.41%	0.187%
51	17.442	5000	5008	5022	rVB7	15016	30613	4.41%	0.587%


Sum of corrected areas: 5215082

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
Data File : VU044287.D
Acq On : 01 Jul 2021 15:38
Operator : SY/MD
Sample : M2905-20
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBK30

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
Data File : VU044287.D
Acq On : 01 Jul 2021 15:38
Operator : SY/MD
Sample : M2905-20
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBK30

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070121\
Data File : VU044287.D
Acq On : 01 Jul 2021 15:38
Operator : SY/MD
Sample : M2905-20
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBK30

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR062121WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------