

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070124\
Data File : VU059677.D
Acq On : 01 Jul 2024 12:10
Operator : MD/SY
Sample : P3059-02DL 4X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
E1GM4DL

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

07/05/2024
Supervised By :Semsettin
Yesilyurt

07/05/2024



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070124\
Data File : VU059677.D
Acq On : 01 Jul 2024 12:10
Operator : MD/SY
Sample : P3059-02DL 4X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1




Instrument :
MSVOA_U
ClientSampleId :
E1GM4DL

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

Quant Time: Jul 01 12:44:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jun 29 01:51:23 2024
Response via : Initial Calibration

07/05/2024
Supervised By :Semsettin
Yesilyurt



TIC: VU059677.D\data.ms

(13) Acetone (T)

2.444min (-0.187) 348.80 ug/L

response 442867

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	34.00	0.66
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070124\
Data File : VU059677.D
Acq On : 01 Jul 2024 12:10
Operator : MD/SY
Sample : P3059-02DL 4X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1




Instrument :
MSVOA_U
ClientSampleId :
E1GM4DL

Manual IntegrationsAPPROVED

Quant Time: Jul 01 12:44:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jun 29 01:51:23 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

07/05/2024
Supervised By :Semsettin
Yesilyurt



TIC: VU059677.D\data.ms

(13) Acetone (T)

2.634min (+ 0.003) 6.39 ug/L m

response 8108

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	34.00	36.10
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070124\
 Data File : VU059677.D
 Acq On : 01 Jul 2024 12:10
 Operator : MD/SY
 Sample : P3059-02DL 4X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GM4DL

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
 Supervised By :Semsettin Yesilyurt 07/05/2024

Quant Time: Jul 01 12:44:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jun 29 01:51:23 2024
 Response via : Initial Calibration

07/05/2024
 Supervised By :Semsettin
 Yesilyurt

07/05/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	136655	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	139790	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	60050	5.000	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.595	65	31645	3.330	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.600%
7) Chloroethane-d5	1.904	69	45392	4.965	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.200%
11) 1,1-Dichloroethene-d2	2.557	65	14502	3.679	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.600%
20) 2-Butanone-d5	4.621	46	104417	53.346	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.700%
24) Chloroform-d	5.052	84	88629	4.544	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.800%
26) 1,2-Dichloroethane-d4	5.692	65	44146	4.699	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.000%
32) Benzene-d6	5.718	84	170072	4.421	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.400%
36) 1,2-Dichloropropane-d6	6.682	67	56323	4.778	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.600%
41) Toluene-d8	7.894	98	138387	3.869	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.400%
43) trans-1,3-Dichloroprop...	8.177	79	16269	4.407	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.200%
46) 2-Hexanone-d5	8.627	63	79389	51.759	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.520%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	48248	4.953	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.000%
66) 1,2-Dichlorobenzene-d4	12.190	152	53833	5.037	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.800%

Target Compounds

					Qvalue
13) Acetone	2.634	43	8108m	6.386	ug/L
16) Methylene chloride	3.036	84	5496	0.479	ug/L
18) trans-1,2-Dichloroethene	3.348	96	17867	1.773	ug/L
22) cis-1,2-Dichloroethene	4.660	96	64725	5.826	ug/L
34) Trichloroethene	6.541	95	10545	0.917	ug/L
53) m,p-Xylene	9.688	106	2370	0.134	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed