

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070124\
 Data File : VU059676.D
 Acq On : 01 Jul 2024 11:46
 Operator : MD/SY
 Sample : P3068-22
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Jul 01 12:08:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jun 29 01:51:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	129415	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	135488	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	57920	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	30703	3.412	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	68.200%	
7) Chloroethane-d5	1.907	69	34887	4.029	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	80.600%	
11) 1,1-Dichloroethene-d2	2.560	65	13644	3.655	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	73.000%	
20) 2-Butanone-d5	4.624	46	97806	52.764	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	105.520%	
24) Chloroform-d	5.055	84	82839	4.485	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.600%	
26) 1,2-Dichloroethane-d4	5.695	65	40919	4.599	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	92.000%	
32) Benzene-d6	5.721	84	158079	4.239	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.800%	
36) 1,2-Dichloropropane-d6	6.682	67	53360	4.670	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.400%	
41) Toluene-d8	7.894	98	127052	3.665	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	73.400%	
43) trans-1,3-Dichloroprop...	8.177	79	15371	4.296	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	86.000%	
46) 2-Hexanone-d5	8.627	63	71854	48.334	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	96.660%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	46133	4.887	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	97.800%	
66) 1,2-Dichlorobenzene-d4	12.187	152	50523	4.901	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070124\
Data File : VU059676.D
Acq On : 01 Jul 2024 11:46
Operator : MD/SY
Sample : P3068-22
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Jul 01 12:08:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jun 29 01:51:23 2024
Response via : Initial Calibration

