

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070219\
 Data File : VU033155.D
 Acq On : 02 Jul 2019 21:00
 Operator : JC/SP
 Sample : K3597-13DL 100X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAM70DL

Quant Time: Jul 03 04:11:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 03 02:14:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	87838	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	92585	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	41814	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	34401	6.77	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	135.40%#
7) Chloroethane-d5	1.68	69	28788	6.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	123.80%
11) 1,1-Dichloroethene-d2	2.27	63	53439	4.46	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	89.20%
20) 2-Butanone-d5	4.19	46	100258	54.16	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.32%
24) Chloroform-d	4.64	84	64827	5.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.60%
26) 1,2-Dichloroethane-d4	5.30	65	38156	5.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.80%
32) Benzene-d6	5.33	84	119423	5.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.60%
36) 1,2-Dichloropropane-d6	6.32	67	39432	5.34	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	106.80%
41) Toluene-d8	7.56	98	103124	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.40%
43) trans-1,3-Dichloropropene-	7.85	79	15009	4.72	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.40%
46) 2-Hexanone-d5	8.31	63	61332	46.80	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.60%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	31366	4.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	41914	5.57	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.40%

Target Compounds					Ovalue
47) Tetrachloroethene	8.22	164	43788	7.082 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU070219\
Data File : VU033155.D
Acq On : 02 Jul 2019 21:00
Operator : JC/SP
Sample : K3597-13DL 100X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAM70DL

Quant Time: Jul 03 04:11:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 03 02:14:33 2019
Response via : Initial Calibration

