

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070318\
 Data File : VU025194.D
 Acq On : 03 Jul 2018 17:04
 Operator : MD/SY
 Sample : J3783-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 S10-0147

Quant Time: Jul 04 04:59:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	205377	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	309199	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	290855	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.49	152	163828	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.31	65	154769	46.16	ug/l	0.00
Spiked Amount			Recovery	=	92.32%	
35) Dibromofluoromethane	4.89	113	118778	46.29	ug/l	0.00
Spiked Amount			Recovery	=	92.58%	
50) Toluene-d8	7.57	98	445260	47.57	ug/l	0.00
Spiked Amount			Recovery	=	95.14%	
62) 4-Bromofluorobenzene	10.31	95	172552	46.43	ug/l	0.00
Spiked Amount			Recovery	=	92.86%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) Chloromethane	1.33	50	627	0.239	ug/l #	78
5) Bromomethane	1.64	94	377	0.288	ug/l	93
6) Chloroethane	1.69	64	253	Below Cal	#	43
10) Methyl Iodide	2.42	142	23	5.298	ug/l #	40
11) Tert butyl alcohol	2.82	59	284857	349.331	ug/l	100
13) Acrolein	2.17	56	102	0.238	ug/l #	1
14) Allyl chloride	2.71	41	36653	8.441	ug/l #	58
15) Acrylonitrile	3.00	53	549	0.346	ug/l #	27
16) Acetone	2.32	43	8171	4.536	ug/l	97
18) Methyl Acetate	2.71	43	89499	23.174	ug/l #	53
20) Methylene Chloride	2.70	84	1573	0.556	ug/l #	4
25) 2-Butanone	4.28	43	934	0.386	ug/l #	84
31) Cyclohexane	5.00	56	42185	7.933	ug/l #	89
36) 1,1-Dichloropropene	4.99	75	15403	4.239	ug/l #	52
38) Carbon Tetrachloride	4.99	117	20055	5.019	ug/l #	16
39) Methylcyclohexane	6.42	83	12807	2.825	ug/l #	87
40) Benzene	5.39	78	6871906	663.759	ug/l	99
42) 1,2-Dichloroethane	5.39	62	63039	15.987	ug/l #	77
43) Isopropyl Acetate	5.54	43	10401	1.519	ug/l #	62
48) Methyl methacrylate	6.59	41	2595	0.779	ug/l #	27
51) 4-Methyl-2-Pentanone	7.46	43	11273	2.621	ug/l	91
52) Toluene	7.64	92	47943	7.198	ug/l	97
55) 1,1,2-Trichloroethane	8.05	97	710	0.262	ug/l #	23
59) 2-Hexanone	8.40	43	29166	8.307	ug/l	75
67) Ethyl Benzene	9.25	91	1202805	92.340	ug/l	98
68) m/p-Xylenes	9.38	106	266872	53.354	ug/l	99
69) o-Xylene	9.78	106	19773	3.994	ug/l	99
73) Isopropylbenzene	10.17	105	51517	4.096	ug/l	99
76) 1,2,3-Trichloropropane	10.31	75	89965	24.942	ug/l #	36
78) n-propylbenzene	10.59	91	20265	1.368	ug/l	97
79) 2-Chlorotoluene	10.71	91	3884	0.445	ug/l #	41
80) 1,3,5-Trimethylbenzene	10.78	105	28309	2.597	ug/l	97
81) trans-1,4-Dichloro-2-buten	10.31	75	89965	57.727	ug/l #	100
82) 4-Chlorotoluene	10.78	91	3234	0.318	ug/l #	45

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070318\
Data File : VU025194.D
Acq On : 03 Jul 2018 17:04
Operator : MD/SY
Sample : J3783-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
S10-0147

Quant Time: Jul 04 04:59:13 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
84) 1,2,4-Trimethylbenzene	11.15	105	32295	2.907	ug/l	99
85) sec-Butylbenzene	11.33	105	2671	0.203	ug/l	90
86) p-Isopropyltoluene	11.43	119	2785	0.237	ug/l	89
90) Hexachloroethane	12.29	117	1581	0.689	ug/l #	8
95) Naphthalene	13.75	128	3710	0.983	ug/l #	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070318\
Data File : VU025194.D
Acq On : 03 Jul 2018 17:04
Operator : MD/SY
Sample : J3783-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
S10-0147

Quant Time: Jul 04 04:59:13 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.99 min Scan# 1367

Delta R.T. -0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :


S10-0147

Tot Ion:168 Resp: 205377

Ion Ratio Lower Upper

168 100

99 56.7 43.2 64.8



Abundance Ion 167.90 (167.60 to 168.60): VU025194.D (-1275) (-)

Ion 98.90 (98.60 to 99.60): VU025194.D (-1275) (-)

4.99

100000

80000



60000

40000

20000

0

Time-->



#3

Chloromethane

Concen: 0.239 ug/l

RT: 1.33 min Scan# 230

Delta R.T. 0.00 min

Lab File: VU025194.D


Acq: 03 Jul 2018 17:04

Tgt Ion: 50 Resp: 627

Ion Ratio Lower Upper

50 100

52 20.6 26.4 39.6#



Abundance Ion 49.90 (49.60 to 50.60): VU025194.D (-137) (-)

Ion 51.90 (51.60 to 52.60): VU025194.D (-137) (-)

1.33

600

500

400


300


200

100

0

Time-->





#5

Bromomethane

Concen: 0.288 ug/l

RT: 1.64 min Scan# 325

Delta R.T. 0.01 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :


S10-0147

Tot Ion: 94 Resp: 377

Ion Ratio Lower Upper




94 100

96 100.0 74.5 111.7



Abundance Ion 93.90 (93.60 to 94.60): VU0

Ion 95.90 (95.60 to 96.60): VU0



#6

Chloroethane

Concen: Below Cal

RT: 1.69 min Scan# 343

Delta R.T. -0.00 min

Lab File: VU025194.D


Acq: 03 Jul 2018 17:04

Tgt Ion: 64 Resp: 253

Ion Ratio Lower Upper



64 100


66 0.0 25.5 38.3#



Abundance Ion 63.90 (63.60 to 64.60): VU0

Ion 65.90 (65.60 to 66.60): VU0









#10
Methvl Iodide
Concen: 5.298 ug/l
RT: 2.42 min Scan# 569
Delta R.T. 0.01 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04




Instrument :
MSVOA_U
ClientSampleId :
S10-0147


Tot Ion:142 Resp: 23
Ion Ratio Lower Upper
142 100
127 0.0 35.6 53.4#
141 0.0 11.7 17.5#



#11
Tert butyl alcohol
Concen: 349.331 ug/l
RT: 2.82 min Scan# 695
Delta R.T. 0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Tgt Ion: 59 Resp: 284857
Ion Ratio Lower Upper
59 100
57 10.6 8.5 12.7





#13

Acrolein

Concen: 0.238 ug/l

RT: 2.17 min Scan# 492

Delta R.T. -0.02 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :





S10-0147

Tot Ion: 56 Resp: 102

Ion Ratio Lower Upper

56 100

55 479.4 58.4 87.6#



#14

Allyl chloride

Concen: 8.441 ug/l

RT: 2.71 min Scan# 658

Delta R.T. 0.11 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04




Tgt Ion: 41 Resp: 36653


Ion Ratio Lower Upper

41 100

39 48.8 61.6 92.4#

76 0.0 29.7 44.5#





#15

Acrylonitrile

Concen: 0.346 ug/l

RT: 3.00 min Scan# 749

Delta R.T. 0.06 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :

S10-0147





Tot Ion: 53 Resp: 549

Ion Ratio Lower Upper

53 100

52 0.0 67.1 100.7#

51 20.8 28.4 42.6#



#16

Acetone

Concen: 4.536 ug/l

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025194.D




Acq: 03 Jul 2018 17:04


Tgt Ion: 43 Resp: 8171

Ion Ratio Lower Upper

43 100

58 28.6 24.4 36.6





#18

Methvl Acetate

Concen: 23.174 ug/l

RT: 2.71 min Scan# 659

Delta R.T. 0.09 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :


S10-0147

Tot Ion: 43 Resp: 89499

Ion Ratio Lower Upper




43 100

74 0.0 18.0 27.0#



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 74.00 (73.70 to 74.70): VU0



#20

Methylene Chloride

Concen: 0.556 ug/l

RT: 2.70 min Scan# 657

Delta R.T. -0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Tgt Ion: 84 Resp: 1573


Ion Ratio Lower Upper

84 100

49 92.9 103.8 155.8#

51 108.2 32.0 48.0#

86 234.3 51.6 77.4#






Abundance Ion 83.90 (83.60 to 84.60): VU0

Ion 48.90 (48.60 to 49.60): VU0

Ion 50.90 (50.60 to 51.60): VU0

Ion 85.90 (85.60 to 86.60): VU0









#25
2-Butanone
Concen: 0.386 ug/l
RT: 4.28 min Scan# 1148
Delta R.T. 0.02 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04




Instrument :
MSVOA_U
ClientSampleId :
S10-0147


Tot Ion: 43 Resp: 934
Ion Ratio Lower Upper
43 100
72 32.4 19.6 29.4#



#31
Cyclohexane
Concen: 7.933 ug/l
RT: 5.00 min Scan# 1371
Delta R.T. -0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Tgt Ion: 56 Resp: 42185
Ion Ratio Lower Upper
56 100
69 40.7 24.8 37.2#
84 89.1 65.2 97.8





#33

1,2-Dichloroethane-d4

Concen: 46.161 ug/l

RT: 5.31 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :


S10-0147

Tot Ion: 65 Resp: 154769




Ion Ratio Lower Upper

65 100

67 51.0 0.0 107.0



Abundance Ion 64.90 (64.60 to 65.60): VU025194.D (-1376) (-)



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.89 min Scan# 1648

Delta R.T. -0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04


Tgt Ion: 114 Resp: 309199

Ion Ratio Lower Upper



114 100


63 21.2 0.0 45.4

88 16.6 0.0 31.0



Abundance Ion 113.90 (113.60 to 114.60): VU025194.D (-1556) (-)









#35
 Dibromofluoromethane
 Concen: 46.287 ug/l
 RT: 4.89 min Scan# 1336
 Delta R.T. 0.00 min
 Lab File: VU025194.D
 Acq: 03 Jul 2018 17:04




Instrument :
 MSVOA_U
 ClientSampleId :
 S10-0147


Tot Ion	Ratio	Lower	Upper
113	100		
111	104.9	82.2	123.4
192	21.1	16.2	24.4



#36
 1,1-Dichloropropene
 Concen: 4.239 ug/l
 RT: 4.99 min Scan# 1368
 Delta R.T. -0.15 min
 Lab File: VU025194.D
 Acq: 03 Jul 2018 17:04

Tgt Ion	Ratio	Lower	Upper
75	100		
110	10.0	17.0	50.9#
77	0.0	24.2	36.4#





#38

Carbon Tetrachloride

Concen: 5.019 ug/l

RT: 4.99 min Scan# 1367

Delta R.T. -0.15 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :

S10-0147


Tot Ion:117 Resp: 20055

Ion Ratio Lower Upper

117 100

119 5.2 76.1 114.1#




121 0.0 23.7 35.5#



Abundance Ion 116.80 (116.50 to 117.50): V

Ion 118.80 (118.50 to 119.50): V

Ion 120.80 (120.50 to 121.50): V



#39

Methylcyclohexane

Concen: 2.825 ug/l

RT: 6.42 min Scan# 1813

Delta R.T. 0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04


Tgt Ion: 83 Resp: 12807

Ion Ratio Lower Upper

83 100

55 64.9 65.8 98.6#



98 45.5 36.7 55.1




Abundance Ion 83.00 (82.70 to 83.70): VU0

Ion 55.00 (54.70 to 55.70): VU0

Ion 98.00 (97.70 to 98.70): VU0





#40

Benzene

Concen: 663.759 ug/l

RT: 5.39 min Scan# 1494

Delta R.T. 0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :





S10-0147

Tot Ion: 78 Resp: 6871906

Ion Ratio Lower Upper

78 100

77 23.7 19.2 28.8



#42

1,2-Dichloroethane

Concen: 15.987 ug/l

RT: 5.39 min Scan# 1494

Delta R.T. -0.02 min

Lab File: VU025194.D




Acq: 03 Jul 2018 17:04


Tgt Ion: 62 Resp: 63039

Ion Ratio Lower Upper

62 100

98 0.0 0.0 16.6





#43

Isopropyl Acetate

Concen: 1.519 ug/l

RT: 5.54 min Scan# 1539

Delta R.T. -0.01 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :

S10-0147





Tot Ion: 43 Resp: 10401

Ion Ratio Lower Upper

43 100

61 0.0 15.4 23.0#

87 0.0 10.0 15.0#



#48

Methyl methacrylate

Concen: 0.779 ug/l

RT: 6.59 min Scan# 1866

Delta R.T. -0.04 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04




Tgt Ion: 41 Resp: 2595


Ion Ratio Lower Upper

41 100

69 0.0 67.3 100.9#

39 25.9 46.5 69.7#





#50

Toluene-d8

Concen: 47.570 ug/l

RT: 7.57 min Scan# 2170

Delta R.T. -0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :





S10-0147

Tot Ion: 98 Resp: 445260

Ion Ratio Lower Upper

98 100

100 64.1 51.1 76.7



#51

4-Methyl-2-Pentanone

Concen: 2.621 ug/l

RT: 7.46 min Scan# 2138

Delta R.T. 0.00 min

Lab File: VU025194.D




Acq: 03 Jul 2018 17:04


Tgt Ion: 43 Resp: 11273

Ion Ratio Lower Upper

43 100

58 32.2 30.0 45.0





#52

Toluene

Concen: 7.198 ug/l

RT: 7.64 min Scan# 2192

Delta R.T. -0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampled :





S10-0147

Tot Ion: 92 Resp: 47943

Ion Ratio Lower Upper

92 100

91 172.0 140.5 210.7



#55

1,1,2-Trichloroethane

Concen: 0.262 ug/l

RT: 8.05 min Scan# 2320

Delta R.T. -0.02 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Tgt Ion: 97 Resp: 710




Ion Ratio Lower Upper


97 100

83 20.6 70.5 105.7#

85 0.0 46.4 69.6#

99 0.0 50.2 75.2#









#59
2-Hexanone
Concen: 8.307 ug/l
RT: 8.40 min Scan# 2429
Delta R.T. 0.04 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04




Instrument :
MSVOA_U
ClientSampleId :
S10-0147


Tot Ion: 43 Resp: 29166
Ion Ratio Lower Upper
43 100
58 70.4 26.4 79.0



#62
4-Bromofluorobenzene
Concen: 46.430 ug/l
RT: 10.31 min Scan# 3023
Delta R.T. 0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Tgt Ion: 95 Resp: 172552
Ion Ratio Lower Upper
95 100
174 84.1 0.0 165.8
176 81.8 0.0 159.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2644
Delta R.T. -0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Instrument :
MSVOA_U
ClientSampleId :
S10-0147

Tot Ion:117 Resp: 290855
Ion Ratio Lower Upper
117 100
82 56.1 44.3 66.5
119 32.6 25.4 38.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V






#67
Ethyl Benzene
Concen: 92.340 ug/l
RT: 9.25 min Scan# 2694
Delta R.T. 0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Tgt Ion: 91 Resp: 1202805
Ion Ratio Lower Upper
91 100
106 31.5 24.2 36.4



Abundance Ion 91.00 (90.70 to 91.70): V
Ion 106.00 (105.70 to 106.70): V









#68
m/p-Xylenes
Concen: 53.354 ug/l
RT: 9.38 min Scan# 2734
Delta R.T. 0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04




Instrument :
MSVOA_U
ClientSampleId :
S10-0147


Tot Ion:106 Resp: 266872
Ion Ratio Lower Upper
106 100
91 207.0 166.5 249.7



#69
o-Xylene
Concen: 3.994 ug/l
RT: 9.78 min Scan# 2859
Delta R.T. 0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Tgt Ion:106 Resp: 19773
Ion Ratio Lower Upper
106 100
91 218.9 110.7 331.9





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 11.49 min Scan# 3389

Delta R.T. 0.00 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :

S10-0147


Tot Ion:152 Resp: 163828

Ion Ratio Lower Upper

152 100

115 57.9 43.0 129.0




150 155.9 0.0 354.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V



#73

Isopropylbenzene

Concen: 4.096 ug/l

RT: 10.17 min Scan# 2980

Delta R.T. 0.00 min

Lab File: VU025194.D


Acq: 03 Jul 2018 17:04

Tgt Ion:105 Resp: 51517

Ion Ratio Lower Upper



105 100


120 26.1 13.2 39.6



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V









#76
 1,2,3-Trichloropropane
 Concen: 24.942 ug/l
 RT: 10.31 min Scan# 3023
 Delta R.T. -0.19 min
 Lab File: VU025194.D
 Acq: 03 Jul 2018 17:04




Instrument :
 MSVOA_U
 ClientSampleId :
 S10-0147


Tot Ion: 75 Resp: 89965
 Ion Ratio Lower Upper
 75 100
 77 1.4 20.9 62.7#



#78
 n-propylbenzene
 Concen: 1.368 ug/l
 RT: 10.59 min Scan# 3111
 Delta R.T. 0.00 min
 Lab File: VU025194.D
 Acq: 03 Jul 2018 17:04

Tgt Ion: 91 Resp: 20265
 Ion Ratio Lower Upper
 91 100
 120 23.9 11.2 33.5





#79

2-Chlorotoluene

Concen: 0.445 ug/l

RT: 10.71 min Scan# 3147

Delta R.T. 0.05 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :





S10-0147

Tot Ion: 91 Resp: 3884

Ion Ratio Lower Upper

91 100

126 0.0 16.9 50.7#



#80

1,3,5-Trimethylbenzene

Concen: 2.597 ug/l

RT: 10.78 min Scan# 3168

Delta R.T. 0.00 min

Lab File: VU025194.D




Acq: 03 Jul 2018 17:04


Tgt Ion: 105 Resp: 28309

Ion Ratio Lower Upper

105 100

120 46.0 24.1 72.2









#81
trans-1,4-Dichloro-2-butene
Concen: 57.727 ug/l
RT: 10.31 min Scan# 3023
Delta R.T. -0.20 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Instrument :
MSVOA_U
ClientSampleId :
S10-0147

Tot Ion: 75 Resp: 89965
Ion Ratio Lower Upper
75 100
53 1.3 0.0 0.0#
89 0.1 0.0 0.0#




Abundance Ion 74.90 (74.60 to 75.60): VU0
Ion 53.00 (52.70 to 53.70): VU0
Ion 88.90 (88.60 to 89.60): VU0






#82
4-Chlorotoluene
Concen: 0.318 ug/l
RT: 10.78 min Scan# 3168
Delta R.T. 0.00 min
Lab File: VU025194.D
Acq: 03 Jul 2018 17:04

Tgt Ion: 91 Resp: 3234
Ion Ratio Lower Upper
91 100
126 0.0 14.9 44.9#



Abundance Ion 91.00 (90.70 to 91.70): VU0
Ion 125.90 (125.60 to 126.60): V









#84
 1,2,4-Trimethylbenzene
 Concen: 2.907 ug/l
 RT: 11.15 min Scan# 3285
 Delta R.T. 0.00 min
 Lab File: VU025194.D
 Acq: 03 Jul 2018 17:04




Instrument :
 MSVOA_U
 ClientSampleId :
 S10-0147


Tot Ion:105 Resp: 32295
 Ion Ratio Lower Upper
 105 100
 120 45.5 22.6 67.8



#85
 sec-Butylbenzene
 Concen: 0.203 ug/l
 RT: 11.33 min Scan# 3339
 Delta R.T. 0.00 min
 Lab File: VU025194.D
 Acq: 03 Jul 2018 17:04

Tgt Ion:105 Resp: 2671
 Ion Ratio Lower Upper
 105 100
 134 14.8 9.7 29.1





#86

p-Isopropyltoluene

Concen: 0.237 ug/l

RT: 11.43 min Scan# 3372

Delta R.T. -0.04 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :

S10-0147


Tot Ion:119 Resp: 2785

Ion Ratio Lower Upper

119 100

134 29.8 12.9 38.6

91 30.7 12.0 36.1





Abundance Ion 119.00 (118.70 to 119.70): V

Ion 134.00 (133.70 to 134.70): V

Ion 91.00 (90.70 to 91.70): V

Time-->



#90

Hexachloroethane

Concen: 0.689 ug/l

RT: 12.29 min Scan# 3638

Delta R.T. 0.14 min

Lab File: VU025194.D


Acq: 03 Jul 2018 17:04

Tgt Ion:117 Resp: 1581

Ion Ratio Lower Upper

117 100


201 0.0 41.1 123.3#




Abundance Ion 116.80 (116.50 to 117.50): V

Ion 200.70 (200.40 to 201.40): V

Time-->





#95

Naphthalene

Concen: 0.983 ug/l

RT: 13.75 min Scan# 4094

Delta R.T. 0.01 min

Lab File: VU025194.D

Acq: 03 Jul 2018 17:04

Instrument :

MSVOA_U

ClientSampleId :

S10-0147

Tot Ion:128 Resp: 3710

Ion Ratio Lower Upper

128 100

127 15.7 10.6 16.0

129 6.2 8.6 12.8#

