

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070323\
 Data File : VU054741.D
 Acq On : 03 Jul 2023 11:56
 Operator : MD/SY
 Sample : 03495-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H0FA7

Quant Time: Jul 05 04:41:04 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR060723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jul 05 04:39:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	257977	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	253771	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	113375	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	69648	4.242	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.800%
7) Chloroethane-d5	1.908	69	65837	4.283	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.600%
11) 1,1-Dichloroethene-d2	2.560	65	30075	4.101	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.000%
20) 2-Butanone-d5	4.624	46	264134	57.221	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	114.440%
24) Chloroform-d	5.059	84	152696	4.449	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.000%
26) 1,2-Dichloroethane-d4	5.698	65	82509	4.932	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.600%
32) Benzene-d6	5.724	84	285157	4.042	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.800%
36) 1,2-Dichloropropane-d6	6.685	67	104519	4.437	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.800%
41) Toluene-d8	7.894	98	239871	3.831	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.600%
43) trans-1,3-Dichloroprop...	8.177	79	36950	4.510	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.200%
46) 2-Hexanone-d5	8.631	63	177283	51.580	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.160%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	86556	4.927	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.600%
66) 1,2-Dichlorobenzene-d4	12.190	152	89444	4.677	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.600%
Target Compounds						Qvalue
3) Chloromethane	1.518	50	27295	0.986	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU070323\
Data File : VU054741.D
Acq On : 03 Jul 2023 11:56
Operator : MD/SY
Sample : 03495-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H0FA7

Quant Time: Jul 05 04:41:04 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR060723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jul 05 04:39:25 2023
Response via : Initial Calibration





#3
 Chloromethane
 Concen: 0.986 ug/L
 RT: 1.518 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: VU054741.D
 Acq: 03 Jul 2023 11:56

Instrument :
 MSVOA_U
 ClientSampleId :
 H0FA7

Tgt Ion: 50 Resp: 27295
 Ion Ratio Lower Upper
 50 100
 52 31.9 23.4 43.4

