

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070419\
 Data File : VU033176.D
 Acq On : 03 Jul 2019 16:53
 Operator : JC/SP
 Sample : K3598-07DL 20X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAM85DL

Quant Time: Jul 04 02:19:02 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jul 04 01:20:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	81448	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	86253	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	38044	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	22777	4.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.60%
7) Chloroethane-d5	1.68	69	21567	5.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.00%
11) 1,1-Dichloroethene-d2	2.27	63	38984	3.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.20%
20) 2-Butanone-d5	4.19	46	88518	51.57	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.14%
24) Chloroform-d	4.64	84	54581	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
26) 1,2-Dichloroethane-d4	5.31	65	33238	5.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.00%
32) Benzene-d6	5.33	84	98075	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
36) 1,2-Dichloropropane-d6	6.32	67	33262	4.83	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.60%
41) Toluene-d8	7.56	98	83023	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.40%
43) trans-1,3-Dichloropropene-	7.85	79	12418	4.19	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.80%
46) 2-Hexanone-d5	8.31	63	54891	44.96	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.92%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	29637	4.90	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.00%
64) 1,2-Dichlorobenzene-d4	11.85	152	35878	5.24	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.80%


Target Compounds					Ovalue
47) Tetrachloroethene	8.22	164	28615	4.968 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070419\
Data File : VU033176.D
Acq On : 03 Jul 2019 16:53
Operator : JC/SP
Sample : K3598-07DL 20X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAM85DL

Quant Time: Jul 04 02:19:02 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 04 01:20:02 2019
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 4.968 ug/L

RT: 8.22 min Scan# 2218

Delta R.T. -0.00 min

Lab File: VU033176.D

Acq: 03 Jul 2019 16:53

Instrument :

MSVOA_U

ClientSampleId :

GAM85DL

Tot Ion:164 Resp: 28615



Ion Ratio Lower Upper

164 100

129 92.7 65.3 121.3

131 89.0 60.3 112.1

166 125.6 86.9 161.3



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

