

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070518\
 Data File : VU025230.D
 Acq On : 05 Jul 2018 21:07
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 06 07:17:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.626	0.504	19.5	72	0.00
3 P	Chloromethane	0.639	0.569	11.0	83	0.00
4 C	Vinyl Chloride	0.659	0.597	9.4#	81	0.00
5 T	Bromomethane	0.319	0.346	-8.5	93	-0.01
6 T	Chloroethane	0.431	0.393	8.8	90	0.00
7 T	Trichlorofluoromethane	1.006	0.991	1.5	89	0.00
8 T	Diethyl Ether	0.390	0.371	4.9	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.624	0.598	4.2	86	0.00
10 T	Methyl Iodide	0.451	0.672	-49.0#	113	0.00
11 T	Tert butyl alcohol	0.199	0.227	-14.1	106	0.00
12 CM	1,1-Dichloroethene	0.569	0.557	2.1#	85	0.00
13 T	Acrolein	0.104	0.030	71.2#	26#	0.00
14 T	Allyl chloride	1.057	0.953	9.8	82	0.00
15 T	Acrylonitrile	0.386	0.429	-11.1	94	0.00
16 T	Acetone	0.439	0.415	5.5	87	0.00
17 T	Carbon Disulfide	1.823	1.477	19.0	72	0.00
18 T	Methyl Acetate	0.940	1.355	-44.1#	127	0.00
19 T	Methyl tert-butyl Ether	2.140	2.277	-6.4	94	0.00
20 T	Methylene Chloride	0.688	0.692	-0.6	93	0.00
21 T	trans-1,2-Dichloroethene	0.627	0.610	2.7	87	0.00
22 T	Diisopropyl ether	2.096	2.174	-3.7	92	0.00
23 T	Vinyl Acetate	1.877	1.823	2.9	84	0.00
24 P	1,1-Dichloroethane	1.205	1.248	-3.6	90	0.00
25 T	2-Butanone	0.589	0.630	-7.0	91	0.00
26 T	2,2-Dichloropropane	1.145	0.943	17.6	73	0.00
27 T	cis-1,2-Dichloroethene	0.721	0.779	-8.0	96	0.00
28 T	Bromochloromethane	0.531	0.465	12.4	72	0.00
29 T	Tetrahydrofuran	0.365	0.395	-8.2	96	0.00
30 C	Chloroform	1.220	1.299	-6.5#	94	0.00
31 T	Cyclohexane	1.323	1.061	19.8	83	0.00
32 T	1,1,1-Trichloroethane	1.128	1.174	-4.1	93	0.00
33 S	1,2-Dichloroethane-d4	0.816	0.684	16.2	72	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.415	0.381	8.2	76	0.00
36 T	1,1-Dichloropropene	0.588	0.595	-1.2	87	0.00
37 T	Ethyl Acetate	0.640	0.721	-12.7	88	0.00
38 T	Carbon Tetrachloride	0.646	0.681	-5.4	89	0.00
39 T	Methylcyclohexane	0.733	0.723	1.4	85	0.00
40 TM	Benzene	1.674	1.768	-5.6	88	0.00
41 T	Methacrylonitrile	0.345	0.416	-20.6#	94	0.00
42 TM	1,2-Dichloroethane	0.638	0.730	-14.4	97	0.00
43 T	Isopropyl Acetate	1.107	1.174	-6.1	90	0.00
44 TM	Trichloroethene	0.476	0.520	-9.2	94	0.00
45 C	1,2-Dichloropropane	0.447	0.479	-7.2#	90	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070518\
 Data File : VU025230.D
 Acq On : 05 Jul 2018 21:07
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 06 07:17:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.314	0.344	-9.6	90	0.00
47 T	Bromodichloromethane	0.625	0.668	-6.9	90	0.00
48 T	Methyl methacrylate	0.539	0.598	-10.9	92	0.00
49 T	1,4-Dioxane	0.011	0.015	-36.4#	126	0.00
50 S	Toluene-d8	1.514	1.167	22.9#	63	0.00
51 T	4-Methyl-2-Pentanone	0.695	0.791	-13.8	96	0.00
52 CM	Toluene	1.077	1.140	-5.8#	90	0.00
53 T	t-1,3-Dichloropropene	0.702	0.707	-0.7	83	0.00
54 T	cis-1,3-Dichloropropene	0.748	0.741	0.9	83	0.00
55 T	1,1,2-Trichloroethane	0.438	0.477	-8.9	95	0.00
56 T	Ethyl methacrylate	0.733	0.767	-4.6	89	0.00
57 T	1,3-Dichloropropane	0.739	0.814	-10.1	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.281	0.307	-9.3	89	0.00
59 T	2-Hexanone	0.568	0.637	-12.1	96	0.00
60 T	Dibromochloromethane	0.546	0.555	-1.6	88	0.00
61 T	1,2-Dibromoethane	0.487	0.534	-9.7	94	0.00
62 S	4-Bromofluorobenzene	0.601	0.529	12.0	73	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	83	0.00
64 T	Tetrachloroethene	0.475	0.477	-0.4	83	0.00
65 PM	Chlorobenzene	1.277	1.394	-9.2	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.485	0.530	-9.3	93	0.00
67 C	Ethyl Benzene	2.239	2.407	-7.5#	91	0.00
68 T	m/p-Xylenes	0.860	0.930	-8.1	91	0.00
69 T	o-Xylene	0.851	0.936	-10.0	94	0.00
70 T	Styrene	1.398	1.504	-7.6	90	0.00
71 P	Bromoform	0.461	0.458	0.7	86	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
73 T	Isopropylbenzene	3.839	4.058	-5.7	93	0.00
74 T	N-amyl acetate	1.826	1.806	1.1	87	0.00
75 P	1,1,2,2-Tetrachloroethane	1.286	1.439	-11.9	102	0.00
76 T	1,2,3-Trichloropropane	1.101	1.301	-18.2	103	0.00
77 T	Bromobenzene	0.972	1.073	-10.4	97	0.00
78 T	n-propylbenzene	4.522	4.569	-1.0	89	0.00
79 T	2-Chlorotoluene	2.667	2.807	-5.2	94	0.00
80 T	1,3,5-Trimethylbenzene	3.327	3.514	-5.6	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.460	3.4	85	0.00
82 T	4-Chlorotoluene	3.104	3.215	-3.6	91	0.00
83 T	tert-Butylbenzene	3.201	3.511	-9.7	98	0.00
84 T	1,2,4-Trimethylbenzene	3.391	3.569	-5.2	93	0.00
85 T	sec-Butylbenzene	4.006	4.167	-4.0	92	0.00
86 T	p-Isopropyltoluene	3.588	3.679	-2.5	91	0.00
87 T	1,3-Dichlorobenzene	1.795	1.908	-6.3	94	0.00
88 T	1,4-Dichlorobenzene	1.807	1.911	-5.8	93	0.00
89 T	n-Butylbenzene	3.186	2.972	6.7	80	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070518\
Data File : VU025230.D
Acq On : 05 Jul 2018 21:07
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Jul 06 07:17:18 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.700	0.645	7.9	84	0.00
91 T	1,2-Dichlorobenzene	1.798	1.974	-9.8	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.355	0.387	-9.0	93	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.242	-11.8	88	0.00
94 T	Hexachlorobutadiene	0.625	0.647	-3.5	90	0.00
95 T	Naphthalene	3.293	4.251	-29.1#	97	0.00
96 T	1,2,3-Trichlorobenzene	1.107	1.327	-19.9	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6