

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070618\
 Data File : VU025234.D
 Acq On : 06 Jul 2018 11:16
 Operator : MD/SY
 Sample : J3834-02 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEAP1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.616	5	8	12	rBV2	163	142	0.01%	0.001%
2	0.680	25	28	31	rBV2	269	182	0.02%	0.002%
3	0.822	68	72	76	rVB2	231	203	0.02%	0.002%
4	0.880	87	90	92	rBV2	153	90	0.01%	0.001%
5	0.915	98	101	107	rVB	211	219	0.02%	0.002%
6	0.941	107	109	110	rBV	160	68	0.01%	0.001%
7	0.963	113	116	117	rBV	148	65	0.01%	0.001%
8	0.976	118	120	123	rBV2	145	76	0.01%	0.001%
9	0.995	123	126	134	rVB2	302	257	0.02%	0.003%
10	1.089	134	155	178	rBV	676408	789303	72.02%	8.181%
11	1.401	245	252	266	rVB	121727	131586	12.01%	1.364%
12	1.677	331	338	355	rVB	99133	129367	11.80%	1.341%
13	2.272	513	523	536	rVB	241802	361056	32.95%	3.742%
14	2.838	689	699	709	rBV2	1684	3096	0.28%	0.032%
15	2.909	719	721	722	rBV2	242	90	0.01%	0.001%
16	3.069	767	771	777	rVB2	329	320	0.03%	0.003%
17	3.098	777	780	784	rBV2	210	154	0.01%	0.002%
18	3.163	797	800	805	rBV2	349	261	0.02%	0.003%
19	3.262	829	831	834	rBV	208	85	0.01%	0.001%
20	3.381	865	868	871	rBV2	270	202	0.02%	0.002%
21	3.487	899	901	904	rVB	207	87	0.01%	0.001%
22	3.661	950	955	958	rVB	342	325	0.03%	0.003%
23	3.693	958	965	968	rBV2	290	314	0.03%	0.003%
24	3.712	968	971	979	rVB2	316	393	0.04%	0.004%
25	3.757	983	985	986	rVB	143	34	0.00%	0.000%
26	3.777	990	991	994	rBV	132	68	0.01%	0.001%
27	3.947	1042	1044	1046	rBV	180	110	0.01%	0.001%
28	3.966	1046	1050	1052	rVV2	114	109	0.01%	0.001%
29	4.053	1073	1077	1079	rBV	209	160	0.01%	0.002%
30	4.175	1101	1115	1151	rBV	99330	275890	25.18%	2.859%
31	4.651	1245	1263	1290	rBV	174479	440698	40.21%	4.568%
32	4.815	1312	1314	1316	rBV	195	108	0.01%	0.001%
33	4.841	1320	1322	1323	rBV	97	46	0.00%	0.000%
34	4.886	1329	1336	1339	rBV2	605	841	0.08%	0.009%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070618\
 Data File : VU025234.D
 Acq On : 06 Jul 2018 11:16
 Operator : MD/SY
 Sample : J3834-02 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEAP1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
 Title : VOC Analysis

35	4.944	1349	1354	1355	rBV2	246	203	0.02%	0.002%
36	4.973	1362	1363	1364	rBV2	213	68	0.01%	0.001%
37	5.043	1382	1385	1389	rVB2	270	200	0.02%	0.002%
38	5.066	1389	1392	1394	rBV	131	78	0.01%	0.001%
39	5.076	1394	1395	1396	rVB	105	21	0.00%	0.000%
40	5.108	1402	1405	1406	rBV	114	80	0.01%	0.001%
41	5.134	1410	1413	1417	rVB	275	218	0.02%	0.002%
42	5.156	1417	1420	1422	rBV	265	159	0.01%	0.002%
43	5.246	1444	1448	1450	rBV	229	207	0.02%	0.002%
44	5.343	1453	1478	1504	rBV2	364928	1095888	100.00%	11.358%
45	5.587	1553	1554	1557	rVB2	206	102	0.01%	0.001%
46	5.606	1557	1560	1562	rBV2	252	178	0.02%	0.002%
47	5.667	1576	1579	1581	rBV2	579	357	0.03%	0.004%
48	5.722	1594	1596	1600	rBV	167	157	0.01%	0.002%
49	5.841	1618	1633	1634	rBV3	1733	3394	0.31%	0.035%
50	5.889	1634	1648	1673	rVV	410120	813068	74.19%	8.427%
51	6.333	1772	1786	1811	rBV	248534	495940	45.25%	5.140%
52	6.519	1842	1844	1846	rBV	218	126	0.01%	0.001%
53	6.648	1879	1884	1887	rBV2	318	355	0.03%	0.004%
54	6.667	1888	1890	1896	rVV3	410	372	0.03%	0.004%
55	6.696	1897	1899	1900	rVV	280	102	0.01%	0.001%
56	6.719	1904	1906	1909	rVV	202	109	0.01%	0.001%
57	6.786	1925	1927	1930	rBV2	297	173	0.02%	0.002%
58	6.928	1968	1971	1974	rBV	227	126	0.01%	0.001%
59	6.982	1987	1988	1989	rBV	109	25	0.00%	0.000%
60	6.992	1989	1991	1992	rBV	189	61	0.01%	0.001%
61	7.166	2044	2045	2050	rVB2	258	128	0.01%	0.001%
62	7.230	2050	2065	2085	rBV	146998	260293	23.75%	2.698%
63	7.378	2107	2111	2114	rBV3	572	476	0.04%	0.005%
64	7.432	2124	2128	2134	rBV3	542	661	0.06%	0.007%
65	7.567	2157	2170	2191	rBV	518061	893365	81.52%	9.259%
66	7.802	2241	2243	2248	rBV	262	170	0.02%	0.002%
67	7.850	2248	2258	2278	rBV	100347	172710	15.76%	1.790%
68	8.021	2308	2311	2316	rVV3	666	404	0.04%	0.004%
69	8.059	2320	2323	2328	rBV	498	337	0.03%	0.003%
70	8.108	2335	2338	2342	rBV	326	313	0.03%	0.003%
71	8.140	2345	2348	2349	rBV	210	85	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070618\
 Data File : VU025234.D
 Acq On : 06 Jul 2018 11:16
 Operator : MD/SY
 Sample : J3834-02 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEAP1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
 Title : VOC Analysis

72	8.166	2353	2356	2360	rBV	256	208	0.02%	0.002%
73	8.198	2362	2366	2367	rBV	180	122	0.01%	0.001%
74	8.233	2367	2377	2390	rBV2	25307	42862	3.91%	0.444%
75	8.313	2390	2402	2429	rBV	323542	572471	52.24%	5.933%
76	8.567	2477	2481	2482	rBV2	288	207	0.02%	0.002%
77	8.616	2494	2496	2501	rBV3	249	269	0.02%	0.003%
78	8.664	2509	2511	2513	rBV2	281	187	0.02%	0.002%
79	8.809	2554	2556	2559	rBV2	202	163	0.01%	0.002%
80	9.092	2631	2644	2668	rBV	557935	931599	85.01%	9.656%
81	9.767	2852	2854	2857	rBV	226	126	0.01%	0.001%
82	9.918	2898	2901	2902	rBV	280	137	0.01%	0.001%
83	10.320	3022	3026	3032	rVB3	560	612	0.06%	0.006%
84	10.436	3050	3062	3078	rBV	345972	550128	50.20%	5.702%
85	10.963	3223	3226	3227	rBV2	352	209	0.02%	0.002%
86	11.021	3240	3244	3246	rBV2	298	233	0.02%	0.002%
87	11.291	3325	3328	3330	rBV	220	132	0.01%	0.001%
88	11.423	3366	3369	3372	rBV	447	275	0.03%	0.003%
89	11.487	3377	3389	3407	rBV	540725	856810	78.18%	8.880%
90	11.863	3494	3506	3527	rBV	501684	814320	74.31%	8.440%
91	13.873	4128	4131	4136	rBV	594	523	0.05%	0.005%


Sum of corrected areas: 9648307

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU070618\
Data File : VU025234.D
Acq On : 06 Jul 2018 11:16
Operator : MD/SY
Sample : J3834-02 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampled :
BEAP1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU070618\
Data File : VU025234.D
Acq On : 06 Jul 2018 11:16
Operator : MD/SY
Sample : J3834-02 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEAP1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU070618\
Data File : VU025234.D
Acq On : 06 Jul 2018 11:16
Operator : MD/SY
Sample : J3834-02 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEAP1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
					# RT Resp Conc