

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070820\
 Data File : VU039363.D
 Acq On : 08 Jul 2020 22:30
 Operator : SY/MD
 Sample : L3243-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4A69

Quant Time: Jul 09 06:31:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jul 09 05:48:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	99876	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	93468	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	45575	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	27991	4.84	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.80%
7) Chloroethane-d5	1.93	69	31705	5.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.00%
11) 1,1-Dichloroethene-d2	2.58	63	45035	3.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.00%
20) 2-Butanone-d5	4.65	46	154256	58.24	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.48%
24) Chloroform-d	5.09	84	69172	5.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	112.20%
26) 1,2-Dichloroethane-d4	5.72	65	44292	5.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	114.40%
32) Benzene-d6	5.75	84	134673	5.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	119.60%
36) 1,2-Dichloropropane-d6	6.71	67	46050	5.82	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	116.40%
41) Toluene-d8	7.91	98	117216	6.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	120.20%
43) trans-1,3-Dichloropropene-	8.19	79	18686	5.35	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	107.00%
46) 2-Hexanone-d5	8.64	63	115836	55.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	111.88%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	43583	5.56	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	111.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	45972	5.65	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.00%

Target Compounds					Ovalue
13) Acetone	2.66	43	2597	1.817 ug/L	77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU070820\
Data File : VU039363.D
Acq On : 08 Jul 2020 22:30
Operator : SY/MD
Sample : L3243-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4A69

Quant Time: Jul 09 06:31:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 09 05:48:41 2020
Response via : Initial Calibration

