

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU070820\
 Data File : VU039366.D
 Acq On : 08 Jul 2020 23:39
 Operator : SY/MD
 Sample : L3243-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4A72

Quant Time: Jul 10 09:23:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jul 09 05:48:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	100003	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	94750	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	44154	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	28906	4.99	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.80%
7) Chloroethane-d5	1.92	69	31957	5.39	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.80%
11) 1,1-Dichloroethene-d2	2.58	63	44459	3.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.00%
20) 2-Butanone-d5	4.66	46	157623	59.44	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.88%
24) Chloroform-d	5.08	84	67116	5.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.80%
26) 1,2-Dichloroethane-d4	5.72	65	45389	5.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	117.20%
32) Benzene-d6	5.75	84	133741	5.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	117.20%
36) 1,2-Dichloropropane-d6	6.70	67	46236	5.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	115.40%
41) Toluene-d8	7.91	98	116795	5.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	118.20%
43) trans-1,3-Dichloropropene-	8.19	79	18488	5.22	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	104.40%
46) 2-Hexanone-d5	8.64	63	112748	53.71	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.42%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	43771	5.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	110.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	46891	5.95	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.00%

Target Compounds					Qvalue
13) Acetone	2.66	43	3319	2.319 ug/L	66

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU070820\
Data File : VU039366.D
Acq On : 08 Jul 2020 23:39
Operator : SY/MD
Sample : L3243-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4A72

Quant Time: Jul 10 09:23:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 09 05:48:41 2020
Response via : Initial Calibration

