

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070820\
 Data File : VU039368.D
 Acq On : 09 Jul 2020 00:25
 Operator : SY/MD
 Sample : L3243-12
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4A76

Manual Integrations
 APPROVED

MMDadoda
 7/10/2020 12:17:39 PM

Quant Time: Jul 09 06:56:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jul 09 05:48:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	98449	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	92421	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	44898	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	27753	4.87	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.40%
7) Chloroethane-d5	1.93	69	30699	5.26	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	105.20%
11) 1,1-Dichloroethene-d2	2.58	63	44306	3.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.00%
20) 2-Butanone-d5	4.65	46	160716	61.56	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.12%
24) Chloroform-d	5.09	84	67309	5.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.80%
26) 1,2-Dichloroethane-d4	5.72	65	43697	5.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	114.60%
32) Benzene-d6	5.74	84	133439	6.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	120.00%
36) 1,2-Dichloropropane-d6	6.70	67	45323	5.80	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	116.00%
41) Toluene-d8	7.91	98	115554	5.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	119.80%
43) trans-1,3-Dichloropropene-	8.19	79	18941	5.49	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	109.80%
46) 2-Hexanone-d5	8.64	63	117129	57.20	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	114.40%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	42132	5.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	108.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	47846	5.97	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.40%

Target Compounds				Ovalue
13) Acetone	2.66	43	4160m	2.952 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU070820\
Data File : VU039368.D
Acq On : 09 Jul 2020 00:25
Operator : SY/MD
Sample : L3243-12
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
F4A76

Manual Integrations
APPROVED

MMDadoda
7/10/2020 12:17:39 PM

Quant Time: Jul 09 06:56:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 09 05:48:41 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.952 ug/L m
 RT: 2.66 min Scan# 410
 Delta R.T. -0.00 min
 Lab File: VU039368.D
 Acq: 09 Jul 2020 00:25

Instrument :
 MSVOA_U
 ClientSampleId :
 F4A76

Tot Ion: 43 Resp: 4160
 Ion Ratio Lower Upper
 43 100
 58 19.8 0.0 62.8

Manual Integrations
 APPROVED

MMDadoda
 7/10/2020 12:17:39 PM

