

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070920\
 Data File : VU039401.D
 Acq On : 09 Jul 2020 17:34
 Operator : SY/MD
 Sample : VIBLK34
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK34

Quant Time: Jul 10 09:53:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jul 10 00:19:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	98608	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	91117	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	44997	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	26000	4.55	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.00%
7) Chloroethane-d5	1.92	69	31043	5.31	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.20%
11) 1,1-Dichloroethene-d2	2.58	63	41183	3.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.20%
20) 2-Butanone-d5	4.65	46	154871	59.22	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.44%
24) Chloroform-d	5.08	84	65052	5.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.80%
26) 1,2-Dichloroethane-d4	5.72	65	43795	5.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	114.60%
32) Benzene-d6	5.75	84	126750	5.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	115.60%
36) 1,2-Dichloropropane-d6	6.70	67	44137	5.73	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	114.60%
41) Toluene-d8	7.91	98	108176	5.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	113.80%
43) trans-1,3-Dichloropropene-	8.19	79	17599	5.17	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	103.40%
46) 2-Hexanone-d5	8.64	63	110103	54.54	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	109.08%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	42037	5.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	110.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	44770	5.57	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.40%

Target Compounds					Ovalue
16) Methylene chloride	3.06	84	2389	0.324 ug/L	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU070920\
Data File : VU039401.D
Acq On : 09 Jul 2020 17:34
Operator : SY/MD
Sample : VIBLK34
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK34

Quant Time: Jul 10 09:53:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jul 10 00:19:08 2020
Response via : Initial Calibration

