

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071018\
 Data File : VU025294.D
 Acq On : 10 Jul 2018 17:17
 Operator : MD/SY
 Sample : J3898-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 SS037MW076-180703

Quant Time: Jul 11 03:37:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U070918W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 10 09:34:16 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	198632	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	298905	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	279518	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.49	152	142267	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	153536	49.75	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.50%	
35) Dibromofluoromethane	4.89	113	118080	46.83	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.66%	
50) Toluene-d8	7.57	98	432405	50.08	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.16%	
62) 4-Bromofluorobenzene	10.31	95	157912	45.43	ug/l	0.00
Spiked Amount	50.000		Recovery	=	90.86%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071018\
Data File : VU025294.D
Acq On : 10 Jul 2018 17:17
Operator : MD/SY
Sample : J3898-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
SS037MW076-180703

Quant Time: Jul 11 03:37:26 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U070918W.M
Quant Title : SW846 8260
QLast Update : Tue Jul 10 09:34:16 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 4.99 min Scan# 1368

Delta R.T. 0.00 min

Lab File: VU025294.D

Acq: 10 Jul 2018 17:17

Instrument :

MSVOA_U

ClientSampleId :


SS037MW076-180703

Tot Ion:168 Resp: 198632




Ion Ratio Lower Upper

168 100

99 57.9 42.8 64.2



Abundance Ion 167.90 (167.60 to 168.60): VU025294.D (-1274) (-)



#33

1,2-Dichloroethane-d4

Concen: 49.75 ug/l

RT: 5.31 min Scan# 1469

Delta R.T. -0.00 min

Lab File: VU025294.D


Acq: 10 Jul 2018 17:17

Tgt Ion: 65 Resp: 153536



Ion Ratio Lower Upper


65 100

67 50.8 0.0 103.6



Abundance Ion 64.90 (64.60 to 65.60): VU025294.D (-1376) (-)





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 5.89 min Scan# 1648

Delta R.T. -0.00 min

Lab File: VU025294.D

Acq: 10 Jul 2018 17:17

Instrument :

MSVOA_U

ClientSampleId :

SS037MW076-180703


Tot Ion:114 Resp: 298905

Ion Ratio Lower Upper

114 100

63 20.4 0.0 41.6




88 15.6 0.0 32.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VU0

Ion 87.90 (87.60 to 88.60): VU0



#35

Dibromofluoromethane

Concen: 46.83 ug/l

RT: 4.89 min Scan# 1337

Delta R.T. 0.00 min

Lab File: VU025294.D

Acq: 10 Jul 2018 17:17


Tgt Ion:113 Resp: 118080

Ion Ratio Lower Upper

113 100

111 102.3 81.7 122.5



192 21.6 17.1 25.7




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.08 ug/l

RT: 7.57 min Scan# 2171

Delta R.T. 0.00 min

Lab File: VU025294.D

Acq: 10 Jul 2018 17:17

Instrument :

MSVOA_U

ClientSampleId :


SS037MW076-180703

Tot Ion: 98 Resp: 432405

Ion Ratio Lower Upper


98 100

100 64.1 51.1 76.7





Abundance Ion 98.00 (97.70 to 98.70): VU0

Ion 100.00 (99.70 to 100.70): VU



Time-->



#62

4-Bromofluorobenzene

Concen: 45.43 ug/l

RT: 10.31 min Scan# 3023

Delta R.T. -0.00 min

Lab File: VU025294.D

Acq: 10 Jul 2018 17:17


Tgt Ion: 95 Resp: 157912

Ion Ratio Lower Upper

95 100

174 85.6 0.0 172.2


176 83.2 0.0 162.6




Abundance Ion 94.90 (94.60 to 95.60): VU0


Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



Time-->









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 9.09 min Scan# 2645
Delta R.T. 0.00 min
Lab File: VU025294.D
Acq: 10 Jul 2018 17:17

Instrument :
MSVOA_U
ClientSampleId :
SS037MW076-180703

Tot Ion:117 Resp: 279518
Ion Ratio Lower Upper
117 100
82 55.9 46.0 69.0
119 32.7 26.0 39.0




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 11.49 min Scan# 3389
Delta R.T. -0.00 min
Lab File: VU025294.D
Acq: 10 Jul 2018 17:17

Tgt Ion:152 Resp: 142267
Ion Ratio Lower Upper
152 100
115 57.1 40.1 120.3
150 154.3 0.0 351.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

