

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071020\
 Data File : VU039427.D
 Acq On : 10 Jul 2020 14:10
 Operator : SY/MD
 Sample : L3261-08
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BE507

Manual Integrations
 APPROVED

MMDadoda
 7/13/2020 10:50:40 AM

Quant Time: Jul 11 03:10:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jul 11 02:49:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	103845	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	95127	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	48006	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	22680	3.77	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.40%
7) Chloroethane-d5	1.93	69	27930	4.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.80%
11) 1,1-Dichloroethene-d2	2.58	63	36757	3.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.00%
20) 2-Butanone-d5	4.66	46	148572	53.95	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.90%
24) Chloroform-d	5.09	84	59899	4.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.40%
26) 1,2-Dichloroethane-d4	5.72	65	38114	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.80%
32) Benzene-d6	5.75	84	112155	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.00%
36) 1,2-Dichloropropane-d6	6.71	67	40847	5.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.60%
41) Toluene-d8	7.91	98	94621	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.40%
43) trans-1,3-Dichloropropene-	8.19	79	16014	4.51	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.20%
46) 2-Hexanone-d5	8.64	63	108044	51.26	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.52%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	37187	4.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	39759	4.64	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.80%

Target Compounds				Ovalue
13) Acetone	2.66	43	2310m	1.554 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071020\
Data File : VU039427.D
Acq On : 10 Jul 2020 14:10
Operator : SY/MD
Sample : L3261-08
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
BE507

Manual Integrations
APPROVED

MMDadoda
7/13/2020 10:50:40 AM

Quant Time: Jul 11 03:10:39 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jul 11 02:49:36 2020
Response via : Initial Calibration





#13
Acetone
Concen: 1.554 ug/L m
RT: 2.66 min Scan# 411
Delta R.T. -0.01 min
Lab File: VU039427.D
Acq: 10 Jul 2020 14:10

Instrument :
MSVOA_U
ClientSampleId :
BE507

Tot Ion: 43 Resp: 2310
Ion Ratio Lower Upper
43 100
58 15.8 0.0 62.8

Manual Integrations
APPROVED

MMDadoda
7/13/2020 10:50:40 AM

