

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071020\
 Data File : VU039447.D
 Acq On : 10 Jul 2020 21:52
 Operator : SY/MD
 Sample : L3268-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4A73

Quant Time: Jul 11 04:33:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jul 11 02:49:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	92100	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	86916	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	41079	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	19787	3.71	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.20%
7) Chloroethane-d5	1.93	69	26985	4.94	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.80%
11) 1,1-Dichloroethene-d2	2.58	63	33020	3.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.80%
20) 2-Butanone-d5	4.65	46	144198	59.04	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.08%
24) Chloroform-d	5.09	84	57058	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
26) 1,2-Dichloroethane-d4	5.72	65	38194	5.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.00%
32) Benzene-d6	5.74	84	105137	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
36) 1,2-Dichloropropane-d6	6.71	67	37893	5.15	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.00%
41) Toluene-d8	7.91	98	90139	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.40%
43) trans-1,3-Dichloropropene-	8.19	79	14639	4.51	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.20%
46) 2-Hexanone-d5	8.64	63	103781	53.89	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.78%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	37246	5.11	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	38391	5.24	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.80%


Target Compounds					Ovalue
13) Acetone	2.66	43	4014	3.045 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071020\
Data File : VU039447.D
Acq On : 10 Jul 2020 21:52
Operator : SY/MD
Sample : L3268-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4A73

Quant Time: Jul 11 04:33:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jul 11 02:49:36 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.045 ug/L

RT: 2.66 min Scan# 409

Delta R.T. -0.02 min

Lab File: VU039447.D

Acq: 10 Jul 2020 21:52

Instrument :
MSVOA_U
ClientSampleId :
F4A73

Tot Ion: 43 Resp: 4014

Ion Ratio Lower Upper

43 100

58 28.9 0.0 62.8

