

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071020\
 Data File : VU039456.D
 Acq On : 11 Jul 2020 02:24
 Operator : SY/MD
 Sample : L3268-12
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4A88

Manual Integrations
 APPROVED

MMDadoda
 7/13/2020 10:51:02 AM

Quant Time: Jul 11 05:26:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jul 11 05:00:40 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	90068	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	84580	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	39777	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	17045	3.27	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.40%
7) Chloroethane-d5	1.93	69	24730	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.60%
11) 1,1-Dichloroethene-d2	2.58	63	29348	2.86	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.20%#
20) 2-Butanone-d5	4.65	46	136177	57.01	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	114.02%
24) Chloroform-d	5.09	84	53192	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.60%
26) 1,2-Dichloroethane-d4	5.72	65	36718	5.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.20%
32) Benzene-d6	5.74	84	101764	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.00%
36) 1,2-Dichloropropane-d6	6.71	67	35917	5.02	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.40%
41) Toluene-d8	7.91	98	84376	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.60%
43) trans-1,3-Dichloropropene-	8.19	79	14481	4.58	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.60%
46) 2-Hexanone-d5	8.64	63	97997	52.29	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.58%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	35594	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	36101	5.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.60%

Target Compounds					Ovalue
13) Acetone	2.66	43	10647	8.258 ug/L	90
25) Chloroform	5.11	83	7521	0.642 ug/L	97
30) Cyclohexane	5.40	56	1723m	0.164 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071020\
Data File : VU039456.D
Acq On : 11 Jul 2020 02:24
Operator : SY/MD
Sample : L3268-12
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 37 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
F4A88

Manual Integrations
APPROVED

MMDadoda
7/13/2020 10:51:02 AM

Quant Time: Jul 11 05:26:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jul 11 05:00:40 2020
Response via : Initial Calibration









#13
Acetone
Concen: 8.258 ug/L
RT: 2.66 min Scan# 409
Delta R.T. -0.00 min
Lab File: VU039456.D
Acq: 11 Jul 2020 02:24

Instrument :
MSVOA_U
ClientSampleId :
F4A88

Tot Ion: 43 Resp: 10647
Ion Ratio Lower Upper
43 100
58 25.9 0.0 62.8




Manual Integrations
APPROVED


MMDadoda
7/13/2020 10:51:02 AM



#25
Chloroform
Concen: 0.642 ug/L
RT: 5.11 min Scan# 1172
Delta R.T. -0.00 min
Lab File: VU039456.D
Acq: 11 Jul 2020 02:24

Tgt Ion: 83 Resp: 7521
Ion Ratio Lower Upper
83 100
85 61.5 44.9 83.5





#30
Cyclohexane
Concen: 0.164 ug/L m
RT: 5.40 min Scan# 1264
Delta R.T. -0.00 min
Lab File: VU039456.D
Acq: 11 Jul 2020 02:24

Instrument :
MSVOA_U
ClientSampleId :
F4A88

Tot Ion	Ratio	Lower	Upper
56	100		
69	14.0	24.1	36.1#
84	67.0	67.0	100.6#

Manual Integrations
APPROVED

MMDadoda
7/13/2020 10:51:02 AM

